

# A Reuse-Based Multi-Stage Compiler Verification for Language IMP

Pasquale Noce  
Senior Staff Engineer at HID Global, Italy  
pasquale dot noce dot lavoro at gmail dot com  
pasquale dot noce at hidglobal dot com

February 6, 2026

## Abstract

After introducing the didactic imperative programming language IMP, Nipkow and Klein’s book on formal programming language semantics (version of March 2021) specifies compilation of IMP commands into a lower-level language based on a stack machine, and expounds a formal verification of that compiler. Exercise 8.4 asks the reader to adjust such proof for a new compilation target, consisting of a machine language that (i) accesses memory locations through their addresses instead of variable names, and (ii) maintains a stack in memory via a stack pointer rather than relying upon a built-in stack. A natural strategy to maximize reuse of the original proof is keeping the original language as an assembly one and splitting compilation into multiple steps, namely a source-to-assembly step matching the original compilation process followed by an assembly-to-machine step. In this way, proving assembly code-machine code equivalence is the only extant task.

A previous paper by the present author introduces a reasoning toolbox that allows for a compiler correctness proof shorter than the book’s one, as such promising to constitute a further enhanced reference for the formal verification of real-world compilers. This paper in turn shows that such toolbox can be reused to accomplish the aforesaid task as well, which demonstrates that the proposed approach also promotes proof reuse in multi-stage compiler verifications.

## Contents

<b>1</b>	<b>Compiler formalization</b>	<b>2</b>
1.1	List setup . . . . .	3
1.2	Instructions and stack machine . . . . .	3
1.3	Verification infrastructure . . . . .	14
1.4	Compilation . . . . .	15

1.5	Preservation of semantics . . . . .	16
<b>2</b>	<b>Compiler verification</b>	<b>17</b>
2.1	Preliminary definitions and lemmas . . . . .	19
2.2	Main theorems . . . . .	27

## 1 Compiler formalization

```

theory Compiler
  imports
    HOL-IMP.Big-Step
    HOL-IMP.Star
begin

```

*This paper is dedicated to Gaia and Greta, my sweet nieces, who fill my life with love and happiness.*

After introducing the didactic imperative programming language IMP, [5] specifies compilation of IMP commands into a lower-level language based on a stack machine, and expounds a formal verification of that compiler. Exercise 8.4 asks the reader to adjust such proof for a new compilation target, consisting of a machine language that (i) accesses memory locations through their addresses instead of variable names, and (ii) maintains a stack in memory via a stack pointer rather than relying upon a built-in stack. A natural strategy to maximize reuse of the original proof is keeping the original language as an assembly one and splitting compilation into multiple steps, namely a source-to-assembly step matching the original compilation process followed by an assembly-to-machine step. In this way, proving assembly code-machine code equivalence is the only extant task.

[7] introduces a reasoning toolbox that allows for a compiler correctness proof shorter than the book’s one, as such promising to constitute a further enhanced reference for the formal verification of real-world compilers. This paper in turn shows that such toolbox can be reused to accomplish the aforesaid task as well, which demonstrates that the proposed approach also promotes proof reuse in multi-stage compiler verifications.

The formal proof development presented in this paper consists of two theory files, as follows.

- The former theory, briefly referred to as “the *Compiler* theory”, is derived from the *HOL-IMP.Compiler* one included in the Isabelle2021-1 distribution [4]. However, the signature of function *bcomp* is modified in the same way as in [7].

- The latter theory, briefly referred to as “the *Compiler2* theory”, is derived from the *Compiler2* one developed in [7]. However, unlike [7], the original language IMP is considered here, without extending it with non-deterministic choice. Hence, the additional case pertaining to non-deterministic choice in the proof of lemma *ccomp-correct* is not present any longer.

Both theory files are split into the same subsections as the respective original theories, and only the most salient differences with respect to the original theories are commented in both of them.

For further information about the formal definitions and proofs contained in this paper, see Isabelle documentation, particularly [6], [3], [1], and [2].

## 1.1 List setup

```
declare [[coercion-enabled]]
declare [[coercion int :: nat ⇒ int]]
declare [[syntax-ambiguity-warning = false]]
```

```
abbreviation (output)
isize xs ≡ int (length xs)
```

```
notation isize (⟨size⟩)
```

```
primrec (nonexhaustive) inth :: 'a list ⇒ int ⇒ 'a (infixl ⟨!⟩ 100) where
(x # xs) !! i = (if i = 0 then x else xs !! (i - 1))
```

```
lemma inth-append [simp]:
   $0 \leq i \implies$ 
  (xs @ ys) !! i = (if i < size xs then xs !! i else ys !! (i - size xs))
by (induction xs arbitrary: i, auto simp: algebra-simps)
```

## 1.2 Instructions and stack machine

Here below, both the syntax and the semantics of the instruction set are defined. As a deterministic language is considered here, as opposed to the non-deterministic one addressed in [7], instruction semantics can be defined via a simple non-recursive function *iexec* (identical to the one used in [5], since the instruction set is the same). However, an inductive predicate *iexec-pred*, resembling the *iexec* one used in [7] and denoted by the same infix symbol  $\mapsto$ , is also defined. Though notation  $(ins, cf) \mapsto cf'$  is just an alias for  $cf' = iexec\ ins\ cf$ , it is used in place of the latter in the definition of predicate *exec1*, which formalizes single-step program execution. The reason is that the compiler correctness proof developed in the *Compiler2* theory of [7] depends on the introduction and elimination rules deriving from predicate *iexec*'s inductive definition. Thus, the use of predicate *iexec-pred* is a

trick enabling Isabelle’s classical reasoner to keep using such rules, which restricts the changes to be made to the proofs in the *Compiler2* theory to those required by the change of the compilation target.

The instructions defined by type *instr*, which refer to memory locations via variable names, will keep being used as an assembly language. In order to have a machine language rather referring to memory locations via their addresses, modeled as integers, an additional type *m-instr* of machine instructions, in one-to-one correspondence with assembly instructions, is introduced. The underlying idea is to reuse the proofs that source code and compiled (assembly) code simulate each other built in [4] and [7], so that the only extant task is proving that assembly code and machine code in turn simulate each other. This is nothing but an application of the *divide et impera* strategy of considering multiple compilation stages mentioned in [5], section 8.5.

In other words, the solution developed in what follows does not require any change to the original compiler completeness and correctness proofs. This result is achieved by splitting compilation into multiple steps, namely a source-to-assembly step matching the original compilation process, to which the aforesaid proofs still apply, followed by an assembly-to-machine step. In this way, to establish source code-machine code equivalence, the assembly code-machine code one is all that is left to be proven. In addition to proof reuse, this approach provides the following further advantages.

- There is no need to reason about the composition and decomposition of machine code sequences, which would also involve the composition and decomposition of the respective mappings between used variables and their addresses (as opposed to what happens with assembly code sequences).
- There is no need to change the original compilation functions, modeling the source-to-assembly compilation step in the current context. In fact, the outputs of these functions are assembly programs, namely lists of assembly instructions, which are in one-to-one correspondence with machine ones. Thus, the assembly-to-machine compilation step can easily be modeled as a mapping of such a list into a machine instruction one, where each referenced variable can be assigned an unambiguous address based on the position of the first/last instruction referencing it within the assembly program.

```
datatype instr =
  LOADI int | LOAD vname | ADD | STORE vname |
  JMP int | JMPLESS int | JMPGE int
```

**type-synonym** *stack* = *val list*  
**type-synonym** *config* = *int* × *state* × *stack*

**abbreviation** *hd2 xs* ≡ *hd (tl xs)*  
**abbreviation** *tl2 xs* ≡ *tl (tl xs)*

**fun** *iexec* :: *instr* ⇒ *config* ⇒ *config* **where**  
*iexec ins (i, s, stk)* = (case *ins* of  
  *LOADI n* ⇒ (*i + 1, s, n # stk*) |  
  *LOAD x* ⇒ (*i + 1, s, s x # stk*) |  
  *ADD* ⇒ (*i + 1, s, (hd2 stk + hd stk) # tl2 stk*) |  
  *STORE x* ⇒ (*i + 1, s(x := hd stk), tl stk*) |  
  *JMP n* ⇒ (*i + 1 + n, s, stk*) |  
  *JMPLESS n* ⇒ (if *hd2 stk < hd stk* then *i + 1 + n* else *i + 1, s, tl2 stk*) |  
  *JMPGE n* ⇒ (if *hd2 stk ≥ hd stk* then *i + 1 + n* else *i + 1, s, tl2 stk*))

**inductive** *iexec-pred* :: *instr* × *config* ⇒ *config* ⇒ *bool*  
**(infix** <math>\langle \mapsto \rangle</math> **55)** **where**  
(*ins, cf*)  $\mapsto$  *iexec ins cf*

**definition** *exec1* :: *instr list* ⇒ *config* ⇒ *config* ⇒ *bool*  
<math>\langle (- / \vdash / - / \rightarrow / -) \rangle</math> **55)** **where**  
 $P \vdash cf \rightarrow cf' \equiv (P !! \text{fst } cf, cf) \mapsto cf' \wedge 0 \leq \text{fst } cf \wedge \text{fst } cf < \text{size } P$

**abbreviation** *exec* :: *instr list* ⇒ *config* ⇒ *config* ⇒ *bool*  
<math>\langle (- / \vdash / - / \rightarrow \* / -) \rangle</math> **55)** **where**  
*exec P* ≡ *star (exec1 P)*

**declare** *iexec-pred.intros* [*intro*]

**inductive-cases** *LoadIE* [*elim!*]: (*LOADI i, pc, s, stk*)  $\mapsto$  *cf*  
**inductive-cases** *LoadE* [*elim!*]: (*LOAD x, pc, s, stk*)  $\mapsto$  *cf*  
**inductive-cases** *AddE* [*elim!*]: (*ADD, pc, s, stk*)  $\mapsto$  *cf*  
**inductive-cases** *StoreE* [*elim!*]: (*STORE x, pc, s, stk*)  $\mapsto$  *cf*  
**inductive-cases** *JmpE* [*elim!*]: (*JMP i, pc, s, stk*)  $\mapsto$  *cf*  
**inductive-cases** *JmpLessE* [*elim!*]: (*JMPLESS i, pc, s, stk*)  $\mapsto$  *cf*  
**inductive-cases** *JmpGeE* [*elim!*]: (*JMPGE i, pc, s, stk*)  $\mapsto$  *cf*

**lemmas** *exec-induct* = *star.induct* [*of exec1 P, split-format(complete)*]

**lemma** *iexec-simp*:  
(*ins, cf*)  $\mapsto$  *cf'* = (*cf' = iexec ins cf*)  
**by** (*auto elim: iexec-pred.cases*)

**lemma** *exec1I* [*intro, code-pred-intro*]:  
 $\llbracket c' = iexec (P !! i) (i, s, stk); 0 \leq i; i < \text{size } P \rrbracket \implies$   
 $P \vdash (i, s, stk) \rightarrow c'$   
**by** (*auto simp: exec1-def iexec-simp*)

**type-synonym**  $addr = int$

**datatype**  $m\text{-instr} =$

$M\text{-LOADI } int \mid M\text{-LOAD } addr \mid M\text{-ADD} \mid M\text{-STORE } addr \mid$   
 $M\text{-JMP } int \mid M\text{-JMPLESS } int \mid M\text{-JMPGE } int$

Here below are the recursive definitions of functions  $vars$ , which takes an assembly program as input and returns a list without repetitions of the referenced variables, and  $addr\text{-of}$ , which in turn takes a list of variables  $xs$  and a variable  $x$  as inputs and returns the address  $a$  of  $x$ . If  $x$  is included in  $xs$ ,  $a$  is set to the one-based right offset of the leftmost occurrence of  $x$  in  $xs$ , otherwise  $a$  is set to zero.

Therefore, for any assembly program  $P$ , function  $addr\text{-of } (vars P)$  maps each variable occurring within  $P$  to a distinct positive address, and any other, unused variable to a default, invalid address (zero).

**primrec**  $vars :: instr\ list \Rightarrow vname\ list\ \mathbf{where}$

$vars\ [] = [] \mid$

$vars\ (ins \# P) = (case\ ins\ of$

$LOAD\ x \Rightarrow if\ x \in set\ (vars\ P)\ then\ []\ else\ [x] \mid$

$STORE\ x \Rightarrow if\ x \in set\ (vars\ P)\ then\ []\ else\ [x] \mid$

$\_ \Rightarrow []\ ) @\ vars\ P$

**primrec**  $addr\text{-of} :: vname\ list \Rightarrow vname \Rightarrow addr\ \mathbf{where}$

$addr\text{-of}\ []\ \_ = 0 \mid$

$addr\text{-of}\ (x \# xs)\ y = (if\ x = y\ then\ size\ xs + 1\ else\ addr\text{-of}\ xs\ y)$

Functions  $vars$  and  $addr\text{-of}$  can be used to translate an assembly program into a machine program, which is done by the subsequent functions  $to\text{-}m\text{-instr}$  and  $to\text{-}m\text{-prog}$ . The former takes a list of variables  $xs$  and an assembly instruction  $ins$  as inputs and returns the corresponding machine instruction, which refers to address  $addr\text{-of } xs\ x$  whenever  $ins$  references variable  $x$ . Then, the latter function turns each instruction contained in the input assembly program  $P$  into the corresponding machine one, using function  $to\text{-}m\text{-instr } (vars P)$  for such mapping. Hence, each variable  $x$  occurring within  $P$  is turned into the address  $addr\text{-of } (vars P)\ x$ , as expected.

In addition, the types  $m\text{-state}$  and  $m\text{-config}$  of machine states and configurations are also defined here below. The former one encompasses any function mapping addresses to values. The latter one reflects the fact that the third element of a machine configuration has to be a pointer to a stack maintained by the machine state, rather than a list-encoded stack as keeps happening with assembly configurations. This can be achieved using a natural num-

ber  $sp$  as third element, standing for the current size of the machine stack. Hence, if it is nonempty, the address of its topmost element matches  $-sp$ , given that the machine stack will be modeled by making it start from address  $-1$  and grow downward.

```
fun to-m-instr :: vname list  $\Rightarrow$  instr  $\Rightarrow$  m-instr where
to-m-instr xs ins = (case ins of
  LOADI n  $\Rightarrow$  M-LOADI n |
  LOAD x  $\Rightarrow$  M-LOAD (addr-of xs x) |
  ADD  $\Rightarrow$  M-ADD |
  STORE x  $\Rightarrow$  M-STORE (addr-of xs x) |
  JMP n  $\Rightarrow$  M-JMP n |
  JMPLESS n  $\Rightarrow$  M-JMPLESS n |
  JMPGE n  $\Rightarrow$  M-JMPGE n)
```

```
fun to-m-prog :: instr list  $\Rightarrow$  m-instr list where
to-m-prog P = map (to-m-instr (vars P)) P
```

```
type-synonym m-state = addr  $\Rightarrow$  val
type-synonym m-config = int  $\times$  m-state  $\times$  nat
```

Next are the definitions of functions  $to-state$  and  $to-m-state$ , which turn a machine program state  $ms$  into an equivalent assembly program state  $s$  and vice versa, based on an input list of variables  $xs$ . Here, *equivalent* means that for each variable  $x$  in  $xs$ ,  $s$  assigns  $x$  the same value that  $ms$  assigns to  $x$ 's address  $addr-of\ xs\ x$ .

Function  $to-m-state\ xs\ s$  maps any positive address  $a$  up to  $size\ xs$  to value  $s\ x$ , where  $x$  is the variable occurring within  $xs$  at the zero-based left offset  $size\ xs - a$ , and any other, unused address to a default, dummy value (zero). The resulting machine program state is equivalent to  $s$  since the zero-based left offset  $size\ xs - a$  points to the same variable  $x$  within  $xs$  as the one-based right offset  $a$ . As long as  $xs$  does not contain any repetition, as happens with the outputs of function  $vars$ ,  $x$  is indeed the variable such that  $addr-of\ xs\ x = a$ , by virtue of the definition of function  $addr-of$ . To perform the reverse conversion, function  $to-state\ xs\ ms$  merely needs to map any variable  $x$  to  $ms\ (addr-of\ xs\ x)$ .

Hence, for any assembly program  $P$ , function  $to-state\ (vars\ P)$  converts each state of the resulting machine program  $to-m-prog\ P$  into an equivalent state of  $P$ , while  $to-m-state\ (vars\ P)$  performs conversions the other way around.

```
fun to-state :: vname list  $\Rightarrow$  m-state  $\Rightarrow$  state where
to-state xs ms x = ms (addr-of xs x)
```

```
fun to-m-state :: vname list  $\Rightarrow$  state  $\Rightarrow$  m-state where
```

$to\text{-}m\text{-}state\ xs\ s\ a = (if\ 0 < a \wedge a \leq size\ xs\ then\ s\ (xs\ !!\ (size\ xs - a))\ else\ 0)$

Likewise, functions *add-stack* and *add-m-stack* are defined to convert machine stacks into assembly ones and vice versa. Function *add-stack* takes a stack pointer and a machine state *ms* as inputs, and returns a list-encoded stack mirroring the machine one maintained by *ms*. Conversely, function *add-m-stack* takes a stack pointer, a list-encoded stack *stk*, and a machine state *ms* as inputs, and returns the machine state obtained by extending *ms* with a machine stack mirroring *stk*.

**primrec** *add-stack* :: *nat*  $\Rightarrow$  *m-state*  $\Rightarrow$  *stack* **where**  
*add-stack* 0 - = [] |  
*add-stack* (Suc *n*) *ms* = *ms* (-Suc *n*) # *add-stack* *n* *ms*

**primrec** *add-m-stack* :: *nat*  $\Rightarrow$  *stack*  $\Rightarrow$  *m-state*  $\Rightarrow$  *m-state* **where**  
*add-m-stack* 0 - *ms* = *ms* |  
*add-m-stack* (Suc *n*) *stk* *ms* = (*add-m-stack* *n* (tl *stk*) *ms*)(-Suc *n* := hd *stk*)

Here below, the semantics of machine instructions and the execution of machine programs are defined. Such definitions resemble their assembly counterparts, but no inductive predicate like *iexec-pred* is needed here. In fact, *iexec-pred* is employed to enable Isabelle's classical reasoner to use the resulting introduction and elimination rules in the compiler correctness proof contained in the *Compiler2* theory, which in the current context shows that source code simulates assembly code. As all that is required here is to establish the further, missing link between assembly code and machine code, the compiler correctness proof can keep referring to assembly code – indeed, it does not demand any change at all. Consequently, no machine counterpart of inductive predicate *iexec-pred* is needed in the definition of machine instruction semantics.

As usual, any two machine configurations *mcf* and *mcf'* may be linked by a single-step execution of a machine program *MP* only if *mcf*'s program counter points to some instruction *mins* within *MP*. However, *mcf'* is not required to match, but just to be *equivalent* to the machine configuration produced by the execution of *mins* in *mcf*; namely, program counters and stack pointers have to be equal, but machine states just have to match up to the machine stack's top. Moreover, *mcf*'s machine stack has to be large enough to store the operands, if any, required for executing *mins*. As shown in what follows, these conditions are necessary for the lemmas establishing single-step assembly code-machine code equivalence to hold.

**primrec** *m-msp* :: *m-instr*  $\Rightarrow$  *nat* **where**  
*m-msp* (M-LOADI *n*) = 0 |

$m\text{-msp } (M\text{-LOAD } a) = 0 \mid$   
 $m\text{-msp } M\text{-ADD} = 2 \mid$   
 $m\text{-msp } (M\text{-STORE } a) = 1 \mid$   
 $m\text{-msp } (M\text{-JMP } n) = 0 \mid$   
 $m\text{-msp } (M\text{-JMPLESS } n) = 2 \mid$   
 $m\text{-msp } (M\text{-JMPGE } n) = 2$

**definition**  $m\text{-sp} :: \text{instr list} \Rightarrow \text{int} \Rightarrow \text{nat}$  **where**  
 $m\text{-sp } P \ i \equiv m\text{-msp } (\text{to-}m\text{-instr } [] (P !! i))$

**fun**  $m\text{-iexec} :: m\text{-instr} \Rightarrow m\text{-config} \Rightarrow m\text{-config}$  **where**  
 $m\text{-iexec } \text{mins } (i, ms, sp) = (\text{case mins of}$   
 $M\text{-LOADI } n \Rightarrow (i + 1, ms(-1 - sp := n), sp + 1) \mid$   
 $M\text{-LOAD } a \Rightarrow (i + 1, ms(-1 - sp := ms \ a), sp + 1) \mid$   
 $M\text{-ADD} \Rightarrow (i + 1, ms(1 - sp := ms (1 - sp) + ms (-sp)), sp - 1) \mid$   
 $M\text{-STORE } a \Rightarrow (i + 1, ms(a := ms (-sp)), sp - 1) \mid$   
 $M\text{-JMP } n \Rightarrow (i + 1 + n, ms, sp) \mid$   
 $M\text{-JMPLESS } n \Rightarrow$   
 $(\text{if } ms (1 - sp) < ms (-sp) \text{ then } i + 1 + n \text{ else } i + 1, ms, sp - 2) \mid$   
 $M\text{-JMPGE } n \Rightarrow$   
 $(\text{if } ms (1 - sp) \geq ms (-sp) \text{ then } i + 1 + n \text{ else } i + 1, ms, sp - 2))$

**fun**  $m\text{-config-equiv} :: m\text{-config} \Rightarrow m\text{-config} \Rightarrow \text{bool}$  (**infix**  $\langle \cong \rangle$  55) **where**  
 $(i, ms, sp) \cong (i', ms', sp') =$   
 $(i = i' \wedge sp = sp' \wedge (\forall a \geq -sp. ms \ a = ms' \ a))$

**definition**  $m\text{-exec1} :: m\text{-instr list} \Rightarrow m\text{-config} \Rightarrow m\text{-config} \Rightarrow \text{bool}$   
 $(\langle -/ \vdash/ -/ \rightarrow/ - \rangle [59, 0, 59] 60)$  **where**  
 $MP \vdash mcf \rightarrow mcf' \equiv$   
 $mcf' \cong m\text{-iexec } (MP !! \text{fst } mcf) \ mcf \wedge 0 \leq \text{fst } mcf \wedge \text{fst } mcf < \text{size } MP \wedge$   
 $m\text{-msp } (MP !! \text{fst } mcf) \leq \text{snd } (\text{snd } mcf)$

**abbreviation**  $m\text{-exec} :: m\text{-instr list} \Rightarrow m\text{-config} \Rightarrow m\text{-config} \Rightarrow \text{bool}$   
 $(\langle -/ \vdash/ -/ \rightarrow*/ - \rangle [59, 0, 59] 60)$  **where**  
 $m\text{-exec } MP \equiv \text{star } (m\text{-exec1 } MP)$

Here below is the proof of lemma  $\text{exec1-}m\text{-exec1}$ , which states that, under proper assumptions, single-step assembly code executions are simulated by machine code ones. The assumptions are that the initial stack pointer is not less than the number of the operands taken by the instruction to be run, and not greater than the size of the initial assembly stack. Unfortunately, the resulting stack pointer is not guaranteed to keep fulfilling the former assumption for the next instruction; indeed, an arbitrary instruction list is generally not so well-behaved. So, in order to prove that assembly programs are simulated by machine ones, it needs to be proven that any machine program produced by compiling a source one is actually well-behaved in this

respect; namely, that a starting machine configuration with stack pointer zero, as well as any intermediate configuration reached thereafter, meet the aforesaid assumptions when executing every such program. This issue will be addressed in the *Compiler2* theory.

At first glance, the need for the assumption causing this issue might appear to result from the lower bound on the initial machine stack size introduced in *m-exec1*'s definition. If that were really the case, the aforesaid issue could be solved by merely dropping this condition (leaving aside its necessity for the twin lemma *m-exec1-exec1* to hold, discussed later on). Nonetheless, a more in-depth investigation shows that the incriminated assumption would be required all the same: were it dropped, a counterexample for lemma *exec1-m-exec1* would arise for  $P !! pc = ADD, sp = 1$  (addition rather pops *two* operands from the machine stack), and  $hd\ stk \neq 0$ . In fact, the initial configuration in *exec1-m-exec1*'s conclusion would map addresses 0 and -1 to values 0 and  $hd\ stk$ . Hence, the configuration correspondingly output by function *m-iexec M-ADD* would map address 0 to  $hd\ stk$ , whereas the final configuration in *exec1-m-exec1*'s conclusion would map it to 0. Being  $sp' = 0$ , this state of affairs would not satisfy *m-exec1*'s definition, which would rather require the machine states of those configurations to match at every address from 0 upward.

Lemma *exec1-m-exec1* would fail to hold if  $\cong$  were replaced with  $=$  within *m-exec1*'s definition. In fact, function *to-m-state* invariably returns machine states mapping any nonpositive address to zero, and function *add-m-stack* leaves unchanged any value below the machine stack's top. Thus, upon any machine instruction *mins* that pops a value  $i \neq 0$  from the stack's top address  $a$ , the configuration obtained by applying function *m-iexec mins* to the initial configuration in *exec1-m-exec1*'s conclusion maps  $a$  to  $i$ , whereas the final configuration maps  $a$  to 0. As a result, the machine states of those configurations match only up to the machine stack's top, exactly as required using  $\cong$  in *m-exec1*'s definition.

**lemma** *inth-map [simp]*:

$\llbracket 0 \leq i; i < size\ xs \rrbracket \implies (map\ f\ xs) !! i = f\ (xs !! i)$

**by** (*induction xs arbitrary: i, simp-all*)

**lemma** *inth-set [simp]*:

$\llbracket 0 \leq i; i < size\ xs \rrbracket \implies xs !! i \in set\ xs$

**by** (*induction xs arbitrary: i, simp-all*)

**lemma** *vars-dist*:

*distinct (vars P)*

**by** (*induction P, simp-all split: instr.split*)

**lemma** *vars-load*:

$\llbracket 0 \leq i; i < size\ P; P !! i = LOAD\ x \rrbracket \implies x \in set\ (vars\ P)$

**by** (*induction P arbitrary: i, simp, fastforce split: if-split-asm*)

**lemma** *vars-store*:

$\llbracket 0 \leq i; i < \text{size } P; P \text{ !! } i = \text{STORE } x \rrbracket \implies x \in \text{set } (\text{vars } P)$   
**by** (*induction P arbitrary: i, simp, fastforce split: if-split-asm*)

**lemma** *addr-of-max*:

$\text{addr-of } xs \ x \leq \text{size } xs$   
**by** (*induction xs, simp-all*)

**lemma** *addr-of-neg*:

$1 + \text{size } xs \neq \text{addr-of } xs \ x$   
**by** (*insert addr-of-max [of xs x], simp*)

**lemma** *addr-of-correct*:

$x \in \text{set } xs \implies xs \text{ !! } (\text{size } xs - \text{addr-of } xs \ x) = x$   
**by** (*induction xs, simp, clarsimp, erule contrapos-pp, rule addr-of-neg*)

**lemma** *addr-of-nneg*:

$0 \leq \text{addr-of } xs \ x$   
**by** (*induction xs, simp-all*)

**lemma** *addr-of-set*:

$x \in \text{set } xs \implies 0 < \text{addr-of } xs \ x$   
**by** (*induction xs, auto*)

**lemma** *addr-of-unique*:

$\llbracket \text{distinct } xs; 0 < a; a \leq \text{size } xs \rrbracket \implies \text{addr-of } xs \ (xs \text{ !! } (\text{size } xs - a)) = a$   
**by** (*induction xs, auto*)

**lemma** *add-m-stack-nneg*:

$0 \leq a \implies \text{add-m-stack } n \ stk \ ms \ a = ms \ a$   
**by** (*induction n arbitrary: stk, simp-all*)

**lemma** *add-m-stack-hd*:

$0 < n \implies \text{add-m-stack } n \ stk \ ms \ (-n) = \text{hd } stk$   
**by** (*cases n, simp-all*)

**lemma** *add-m-stack-hd2*:

$1 < n \implies \text{add-m-stack } n \ stk \ ms \ (1 - \text{int } n) = \text{hd2 } stk$   
**by** (*cases n, simp-all add: add-m-stack-hd*)

**lemma** *add-m-stack-nth*:

$\llbracket -n \leq a; n \leq \text{length } stk \rrbracket \implies$   
 $\text{add-m-stack } n \ stk \ ms \ a = (\text{if } 0 \leq a \text{ then } ms \ a \text{ else } stk \ ! \ (\text{nat } (n + a)))$   
**by** (*induction n arbitrary: stk, auto intro: hd-conv-nth simp: add-m-stack-nneg nth-tl Suc-nat-eq-nat-zadd1 ac-simps*)

**lemma** *exec1-m-exec1 [simplified Let-def]*:

$\llbracket P \vdash (pc, s, stk) \rightarrow (pc', s', stk'); msp P pc \leq sp; sp \leq \text{length } stk \rrbracket \implies$   
 $\text{let } sp' = sp + \text{length } stk' - \text{length } stk \text{ in } \text{to-m-prog } P \vdash$   
 $(pc, \text{add-m-stack } sp \text{ } stk \text{ (to-m-state (vars } P) s), sp) \rightarrow$   
 $(pc', \text{add-m-stack } sp' \text{ } stk' \text{ (to-m-state (vars } P) s'), sp')$   
**proof** (*auto dest: vars-load vars-store addr-of-set intro: addr-of-max*  
*simp: msp-def exec1-def m-exec1-def vars-load addr-of-correct addr-of-nneg*  
*add-m-stack-nneg add-m-stack-hd add-m-stack-hd2 split: instr.split*)  
**qed** (*auto dest: vars-store simp: add-m-stack-nth nth-tl Suc-nat-eq-nat-zadd1*  
*of-nat-diff vars-dist addr-of-correct addr-of-unique*)

Here below is the proof of lemma *m-exec1-exec1*, which reverses the previous one and states that single-step machine code executions are simulated by assembly code ones. As opposed to lemma *exec1-m-exec1*, the present one does not require any assumption apart from having two arbitrary machine configurations linked by a single-step program execution. Hence, this time there is no obstacle to proving lemma *m-exec-exec*, which generalizes *m-exec1-exec1* to multiple-step program executions, as a direct consequence of *m-exec1-exec1* via induction over the reflexive transitive closure of binary predicate *m-exec1* (*to-m-prog P*), where *P* is the given, arbitrary assembly program.

If the condition that the initial machine stack be large enough to store the operands of the current instruction were removed from *m-exec1*'s definition, lemma *m-exec1-exec1* would not hold. A counterexample would be the case where  $P !! pc = ADD$ ,  $sp = 1$ , and  $stk = []$ . Being  $sp' = 0$ , the final assembly stack in *m-exec1-exec1*'s conclusion would be empty, whereas according to *exec1*'s definition, the assembly stack resulting from the execution of an addition cannot be empty.

**lemma** *addr-of-nset*:

$x \notin \text{set } xs \implies \text{addr-of } xs \ x = 0$

**by** (*induction xs, auto split: if-split-asm*)

**lemma** *addr-of-inj*:

*inj-on* (*addr-of xs*) (*set xs*)

**by** (*subst inj-on-def, clarify, induction xs, simp-all split: if-split-asm,*  
*drule sym, (subst (asm) add.commute, erule contrapos-pp, rule addr-of-neg)+*)

**lemma** *addr-of-neq2*:

$\llbracket x \in \text{set } xs; x' \neq x \rrbracket \implies \text{addr-of } xs \ x' \neq \text{addr-of } xs \ x$

**by** (*cases x' \in set xs, erule contrapos-nn, rule inj-onD [OF addr-of-inj],*  
*simp-all, drule addr-of-set, drule addr-of-nset, simp*)

**lemma** *to-state-eq*:

$\forall a \geq 0. ms' a = ms \ a \implies \text{to-state } xs \ ms' = \text{to-state } xs \ ms$

**by** (*rule ext, simp, induction xs, simp-all*)

**lemma** *to-state-upd*:

$\llbracket \forall a \geq 0. ms' a = (if\ a =\ addr\ of\ xs\ x\ then\ i\ else\ ms\ a); x \in\ set\ xs \rrbracket \implies$   
 $to\ state\ xs\ ms' = (to\ state\ xs\ ms)(x := i)$

**by** (*rule ext, simp, rule conjI, rule-tac [!] impI, simp add: addr-of-nneg,*  
*drule addr-of-neq2, simp, simp add: addr-of-nneg*)

**lemma** *add-stack-eq*:

$\llbracket \forall a \in \{-m..<0\}. ms' a = ms\ a; m = n \rrbracket \implies add\ stack\ m\ ms' = add\ stack\ n\ ms$   
**by** (*induction m arbitrary: n, auto*)

**lemma** *add-stack-eq2*:

$\llbracket \forall a \in \{-n..<0\}. ms' a = (if\ a = -n\ then\ i\ else\ ms\ a); 0 < n \rrbracket \implies$   
 $add\ stack\ n\ ms' = i \# add\ stack\ (n - 1)\ ms$

**by** (*cases n, simp-all add: add-stack-eq*)

**lemma** *add-stack-hd*:

$0 < n \implies hd\ (add\ stack\ n\ ms) = ms\ (-n)$

**by** (*cases n, simp-all*)

**lemma** *add-stack-hd2*:

$1 < n \implies hd2\ (add\ stack\ n\ ms) = ms\ (1 - int\ n)$

**by** (*induction n, simp-all add: add-stack-hd*)

**lemma** *add-stack-nnil*:

$0 < n \implies add\ stack\ n\ ms \neq []$

**by** (*cases n, simp-all*)

**lemma** *add-stack-nnil2*:

$1 < n \implies tl\ (add\ stack\ n\ ms) \neq []$

**by** (*induction n, simp-all add: add-stack-nnil*)

**lemma** *add-stack-tl*:

$tl\ (add\ stack\ n\ ms) = add\ stack\ (n - 1)\ ms$

**by** (*cases n, simp-all*)

**lemma** *m-exec1-exec1 [simplified]*:

$to\ m\ prog\ P \vdash (pc, ms, sp) \rightarrow (pc', ms', sp') \implies$

$P \vdash (pc, to\ state\ (vars\ P)\ ms, add\ stack\ sp\ ms\ @\ stk) \rightarrow$

$(pc', to\ state\ (vars\ P)\ ms', add\ stack\ sp'\ ms'\ @\ stk)$

**proof** (*auto elim!: vars-store intro!: to-state-eq to-state-upd add-stack-eq*

*simp: exec1-def m-exec1-def iexec-simp add-stack-hd add-stack-hd2*

*add-stack-nnil add-stack-nnil2 split: instr.split-asm*)

**qed** (*subst add-stack-eq2, fastforce+, simp-all add: add-stack-tl, rule arg-cong,*

*auto dest!: vars-store addr-of-set intro: add-stack-eq*)

**lemma** *m-exec-exec*:

$to\ m\ prog\ P \vdash (pc, ms, sp) \rightarrow^* (pc', ms', sp') \implies$

$P \vdash (pc, to\ state\ (vars\ P)\ ms, add\ stack\ sp\ ms\ @\ stk) \rightarrow^*$

$(pc', to\ state\ (vars\ P)\ ms', add\ stack\ sp'\ ms'\ @\ stk)$

by (*induction* - (*pc*, *ms*, *sp*) (*pc'*, *ms'*, *sp'*) *arbitrary: pc ms sp rule: star.induct, simp-all add: split-paired-all, drule m-exec1-exec1, auto intro: star-trans*)

### 1.3 Verification infrastructure

**lemma** *iexec-shift* [*simp*]:

$$\begin{aligned} ((n + i', s', stk') = iexec\ ins\ (n + i, s, stk)) = \\ ((i', s', stk') = iexec\ ins\ (i, s, stk)) \end{aligned}$$

by (*auto split: instr.split*)

**lemma** *exec1-appendR*:

$$P \vdash c \rightarrow c' \implies P @ P' \vdash c \rightarrow c'$$

by (*auto simp: exec1-def*)

**lemma** *exec-appendR*:

$$P \vdash c \rightarrow^* c' \implies P @ P' \vdash c \rightarrow^* c'$$

by (*induction rule: star.induct*) (*fastforce intro: star.step exec1-appendR*)+

**lemma** *exec1-appendL*:

**fixes** *i i' :: int*

**shows**  $P \vdash (i, s, stk) \rightarrow (i', s', stk') \implies$

$$P' @ P \vdash (size\ P' + i, s, stk) \rightarrow (size\ P' + i', s', stk')$$

by (*auto simp: exec1-def iexec-simp simp del: iexec.simps*)

**lemma** *exec-appendL*:

**fixes** *i i' :: int*

**shows**  $P \vdash (i, s, stk) \rightarrow^* (i', s', stk') \implies$

$$P' @ P \vdash (size\ P' + i, s, stk) \rightarrow^* (size\ P' + i', s', stk')$$

by (*induction rule: exec-induct*) (*blast intro: star.step exec1-appendL*)+

**lemma** *exec-Cons-1* [*intro*]:

$$P \vdash (0, s, stk) \rightarrow^* (j, t, stk') \implies$$

$$ins\ \# P \vdash (1, s, stk) \rightarrow^* (1 + j, t, stk')$$

by (*drule exec-appendL [where P' = [ins]] simp*)

**lemma** *exec-appendL-if* [*intro*]:

**fixes** *i i' j :: int*

**shows**  $\llbracket size\ P' \leq i; P \vdash (i - size\ P', s, stk) \rightarrow^* (j, s', stk') \rrbracket;$

$$i' = size\ P' + j \rrbracket \implies$$

$$P' @ P \vdash (i, s, stk) \rightarrow^* (i', s', stk')$$

by (*drule exec-appendL [where P' = P'] simp*)

**lemma** *exec-append-trans* [*intro*]:

**fixes** *i' i'' j'' :: int*

**shows**  $\llbracket P \vdash (0, s, stk) \rightarrow^* (i', s', stk'); size\ P \leq i';$

$$P' \vdash (i' - size\ P, s', stk') \rightarrow^* (i'', s'', stk''); j'' = size\ P + i' \rrbracket \implies$$

$$P @ P' \vdash (0, s, stk) \rightarrow^* (j'', s'', stk'')$$

by (*metis star-trans [OF exec-appendR exec-appendL-if]*)

**declare** *Let-def* [*simp*]

## 1.4 Compilation

As mentioned previously, the definitions of the functions modeling source-to-assembly compilation, reported here below, need not be changed. Particularly, function *ccomp* can be used to define some abbreviations for functions *to-m-prog*, *to-state*, and *to-m-state*, in which their first parameter (an assembly program for *to-m-prog*, a list of variables for the other two functions) is replaced with a command. In fact, the compiler completeness and correctness properties apply to machine programs resulting from the compilation of source programs, that is, of commands. Consequently, such abbreviations, defined here below as well, can be used to express those properties in a more concise form.

**primrec** *acomp* :: *aexp*  $\Rightarrow$  *instr list* **where**  
*acomp* (*N i*) = [*LOADI i*] |  
*acomp* (*V x*) = [*LOAD x*] |  
*acomp* (*Plus a<sub>1</sub> a<sub>2</sub>*) = *acomp a<sub>1</sub>* @ *acomp a<sub>2</sub>* @ [*ADD*]

**fun** *bcomp* :: *bexp*  $\times$  *bool*  $\times$  *int*  $\Rightarrow$  *instr list* **where**  
*bcomp* (*Bc v, f, i*) = (if *v = f* then [*JMP i*] else []) |  
*bcomp* (*Not b, f, i*) = *bcomp* (*b,  $\neg$  f, i*) |  
*bcomp* (*And b<sub>1</sub> b<sub>2</sub>, f, i*) =  
  (let *cb<sub>2</sub>* = *bcomp* (*b<sub>2</sub>, f, i*);  
      *cb<sub>1</sub>* = *bcomp* (*b<sub>1</sub>, False, size cb<sub>2</sub> + (if f then 0 else i)*)  
      in *cb<sub>1</sub>* @ *cb<sub>2</sub>*) |  
*bcomp* (*Less a<sub>1</sub> a<sub>2</sub>, f, i*) =  
  *acomp a<sub>1</sub>* @ *acomp a<sub>2</sub>* @ (if *f* then [*JMPLESS i*] else [*JMPGE i*])

**primrec** *ccomp* :: *com*  $\Rightarrow$  *instr list* **where**  
*ccomp* *SKIP* = [] |  
*ccomp* (*x ::= a*) = *acomp a* @ [*STORE x*] |  
*ccomp* (*c<sub>1</sub>;; c<sub>2</sub>*) = *ccomp c<sub>1</sub>* @ *ccomp c<sub>2</sub>* |  
*ccomp* (*IF b THEN c<sub>1</sub> ELSE c<sub>2</sub>*) =  
  (let *cc<sub>1</sub>* = *ccomp c<sub>1</sub>*; *cc<sub>2</sub>* = *ccomp c<sub>2</sub>*; *cb* = *bcomp* (*b, False, size cc<sub>1</sub> + 1*)  
      in *cb* @ *cc<sub>1</sub>* @ *JMP* (*size cc<sub>2</sub>* # *cc<sub>2</sub>*) |  
*ccomp* (*WHILE b DO c*) =  
  (let *cc* = *ccomp c*; *cb* = *bcomp* (*b, False, size cc + 1*)  
      in *cb* @ *cc* @ [*JMP* ( $-(size\ cb + size\ cc + 1)$ )])

**abbreviation** *m-ccomp* :: *com*  $\Rightarrow$  *m-instr list* **where**  
*m-ccomp c*  $\equiv$  *to-m-prog* (*ccomp c*)

**abbreviation** *m-state* :: *com*  $\Rightarrow$  *state*  $\Rightarrow$  *m-state* **where**

$m\text{-state } c \equiv \text{to-}m\text{-state } (\text{vars } (\text{ccomp } c))$

**abbreviation**  $\text{state} :: \text{com} \Rightarrow m\text{-state} \Rightarrow \text{state}$  **where**  
 $\text{state } c \equiv \text{to-state } (\text{vars } (\text{ccomp } c))$

**lemma**  $\text{acom}\text{-correct}$  [intro]:  
 $\text{acom } a \vdash (0, s, \text{stk}) \rightarrow^* (\text{size } (\text{acom } a), s, \text{aval } a \text{ s } \# \text{stk})$   
**by** (induction a arbitrary: stk) fastforce+

**lemma**  $\text{bcomp}\text{-correct}$  [intro]:  
**fixes**  $i :: \text{int}$   
**shows**  $0 \leq i \implies \text{bcomp } (b, f, i) \vdash (0, s, \text{stk}) \rightarrow^*$   
 $(\text{size } (\text{bcomp } (b, f, i)) + (\text{if } f = \text{bval } b \text{ s then } i \text{ else } 0), s, \text{stk})$   
**proof** (induction b arbitrary: f i)  
**case** Not  
**from** Not(1) [where  $f = \neg f$ ] Not(2)  
**show** ?case  
**by** fastforce  
**next**  
**case** (And b<sub>1</sub> b<sub>2</sub>)  
**from** And(1) [of if f then size (bcomp (b<sub>2</sub>, f, i)) else  
size (bcomp (b<sub>2</sub>, f, i)) + i False] And(2) [of i f] And(3)  
**show** ?case  
**by** fastforce  
**qed** fastforce+

## 1.5 Preservation of semantics

Like [4], this theory ends with the proof of theorem  $\text{ccomp}\text{-bigstep}$ , which states that source programs are simulated by assembly ones, as proving that assembly programs are in turn simulated by machine ones is still a pending task. This missing link will be established in the *Compiler2* theory. Such a state of affairs might appear as nothing but an extravagant choice: if the original development detailed in [5] addresses the “easy” direction of the program bisimulation proof in the *Compiler* theory, why moving its machine code add-on to the *Compiler2* theory? The bad news here are that the move has occurred as proving that assembly programs are simulated by machine ones is no longer “easy”. Indeed, this task demands the further reasoning tools used in the *Compiler2* theory to cope with the reverse, “hard” direction of the program bisimulation proof. On the other hand, the good news are that such tools, in the form introduced in [7], are sufficiently general and powerful to also accomplish that task, as will be shown shortly.

**theorem**  $\text{ccomp}\text{-bigstep}$ :  
 $(c, s) \Rightarrow t \implies \text{ccomp } c \vdash (0, s, \text{stk}) \rightarrow^* (\text{size } (\text{ccomp } c), t, \text{stk})$   
**proof** (induction arbitrary: stk rule: big-step-induct)

```

    case (Assign x a s)
    show ?case
      by (fastforce simp: fun-upd-def cong: if-cong)
next
case (Seq c1 s1 s2 c2 s3)
let ?cc1 = ccomp c1
let ?cc2 = ccomp c2
have ?cc1 @ ?cc2 ⊢ (0, s1, stk) →* (size ?cc1, s2, stk)
  using Seq.IH(1) by fastforce
moreover have ?cc1 @ ?cc2 ⊢ (size ?cc1, s2, stk) →*
  (size (?cc1 @ ?cc2), s3, stk)
  using Seq.IH(2) by fastforce
ultimately show ?case
  by simp (blast intro: star-trans)
next
case (WhileTrue b s1 c s2 s3)
let ?cc = ccomp c
let ?cb = bcomp (b, False, size ?cc + 1)
let ?cw = ccomp (WHILE b DO c)
have ?cw ⊢ (0, s1, stk) →* (size ?cb, s1, stk)
  using ‹bval b s1› by fastforce
moreover have ?cw ⊢ (size ?cb, s1, stk) →* (size ?cb + size ?cc, s2, stk)
  using WhileTrue.IH(1) by fastforce
moreover have ?cw ⊢ (size ?cb + size ?cc, s2, stk) →* (0, s2, stk)
  by fastforce
moreover have ?cw ⊢ (0, s2, stk) →* (size ?cw, s3, stk)
  by (rule WhileTrue.IH(2))
ultimately show ?case
  by (blast intro: star-trans)
qed fastforce+

```

```

declare Let-def [simp del]

```

```

lemma impCE2 [elim!]:
  ‹‹P → Q; ¬ P ⇒ R; P ⇒ Q ⇒ R› ⇒ R›
by blast

```

```

lemma Suc-lessI2 [intro!]:
  ‹‹m < n; m ≠ n - 1› ⇒ Suc m < n›
by simp

```

```

end

```

## 2 Compiler verification

```

theory Compiler2
  imports Compiler
begin

```

The reasoning toolbox introduced in the *Compiler2* theory of [7] to cope with the “hard” direction of the bisimulation proof can be outlined as follows.

First, predicate *execl-all* is defined to capture the notion of a *complete small-step* program execution – an *assembly* program execution in the current context –, where such an execution is modeled as a list of program configurations. This predicate has the property that, for any complete execution of program  $P @ P' @ P''$  making the program counter point to the beginning of program  $P'$  in some step, there exists a sub-execution being also a complete execution of  $P'$ . Under the further assumption that any complete execution of  $P'$  fulfills a given predicate  $Q$ , this implies the existence of a sub-execution fulfilling  $Q$  (as established by lemma *execl-all-sub* in [7]).

The compilation of arithmetic/boolean expressions and commands, modeled by functions *acomp*, *bcomp*, and *ccomp*, produces programs matching pattern  $P @ P' @ P''$ , where sub-programs  $P$ ,  $P'$ ,  $P''$  may either be empty or result from the compilation of nested expressions or commands (possibly with the insertion of further instructions). Moreover, simulation of compiled programs by source ones can be formalized as the statement that any complete small-step execution of a compiled program meets a proper well-behavedness predicate *cpred*. By proving this statement via structural induction over commands, the resulting subgoals assume its validity for any nested command. If as many suitable well-behavedness predicates, *apred* and *bpred*, have been proven to hold for any complete execution of a compiled arithmetic/boolean expression, the above *execl-all*'s property entails that the complete execution targeted in each subgoal is comprised of pieces satisfying *apred*, *bpred*, or *cpred*, which enables to conclude that the whole execution satisfies *cpred*.

Can this machinery come in handy to generalize single-step assembly code simulation by machine code, established by lemma *exec1-m-exec1*, to full program executions? Actually, the gap to be filled in is showing that assembly program execution unfolds in such a way, that a machine stack pointer starting from zero complies with *exec1-m-exec1*'s assumptions in each intermediate step. The key insight, which provides the previous question with an affirmative answer, is that this property can as well be formalized as a well-behavedness predicate *mpred*, so that the pending task takes again the form of proving that such a predicate holds for any complete small-step execution of an assembly program.

Following this insight, the present theory extends the *Compiler2* theory of [7] by reusing its reasoning toolbox to additionally prove that any such program execution is indeed well-behaved in this respect, too.

## 2.1 Preliminary definitions and lemmas

To define predicate  $mpred$ , the value taken by the machine stack pointer in every program execution step needs to be expressed as a function of just the initial configuration and the current one, so that a quantification over each intermediate configuration can occur in the definition's right-hand side. On the other hand, within  $exec1-m-exec1$ 's conclusion, the stack pointer  $sp'$  resulting from single-step execution is  $sp + length\ stk' - length\ stk$ , where  $stk$  and  $sp$  are the assembly stack and the stack pointer prior to single-step execution and  $stk'$  is the ensuing assembly stack. Thus, the aforesaid function must be such that, by replacing  $sp$  with its value into the previous expression,  $sp'$ 's value is obtained. If  $sp = length\ stk - length\ stk_0$ , where  $stk_0$  is the initial assembly stack, that expression gives  $sp' = length\ stk - length\ stk_0 + length\ stk' - length\ stk$ , and the right-hand side matches  $length\ stk' - length\ stk_0$  by library lemma  $add-diff-assoc2$  provided that  $length\ stk_0 \leq length\ stk$ .

Thus, to meet  $exec1-m-exec1$ 's former assumption for an assembly program  $P$ , each intermediate configuration  $(pc, s, stk)$  in a list  $cfs$  must be such that (i)  $length\ stk - length\ stk_0$  is not less than the number of the operands taken by  $P$ 's instruction at offset  $pc$ , and (ii)  $length\ stk_0 \leq length\ stk$ . Since the subgoals arising from structural induction will assume this to hold for pieces of a given complete execution, it is convenient to make  $mpred$  take two offsets  $m$  and  $n$  as further inputs besides  $P$  and  $cfs$ . This enables the quantification to only span the configurations within  $cfs$  whose offsets are comprised in the interval  $\{m..<n\}$  (the upper bound is excluded as intermediate configurations alone are relevant). Unlike  $apred$ ,  $bpred$ , and  $cpred$ ,  $mpred$  expresses a well-behavedness condition applying indiscriminately to arithmetic/boolean expressions and commands, which is the reason why a single predicate suffices, as long as it takes a list of assembly instructions as input instead of a specific source code token.

```
fun execl :: instr list  $\Rightarrow$  config list  $\Rightarrow$  bool (infix  $\langle \models \rangle$  55) where
P  $\models$  cf # cf' # cfs = (P  $\vdash$  cf  $\rightarrow$  cf'  $\wedge$  P  $\models$  cf' # cfs) |
P  $\models$  - = True
```

```
definition execl-all :: instr list  $\Rightarrow$  config list  $\Rightarrow$  bool ( $\langle \langle - / \models / - \square \rangle \rangle$  55) where
P  $\models$  cfs  $\square$   $\equiv$  P  $\models$  cfs  $\wedge$  cfs  $\neq$  []  $\wedge$ 
fst (cfs ! 0) = 0  $\wedge$  fst (cfs ! (length cfs - 1))  $\notin$  {0..size P}
```

```
definition apred :: aexp  $\Rightarrow$  config  $\Rightarrow$  config  $\Rightarrow$  bool where
apred  $\equiv$   $\lambda a$  (pc, s, stk) (pc', s', stk').
pc' = pc + size (acomp a)  $\wedge$  s' = s  $\wedge$  stk' = aval a s # stk
```

```
definition bpred :: bexp  $\times$  bool  $\times$  int  $\Rightarrow$  config  $\Rightarrow$  config  $\Rightarrow$  bool where
bpred  $\equiv$   $\lambda$ (b, f, i) (pc, s, stk) (pc', s', stk').
```

$$\begin{aligned} pc' &= pc + \text{size } (bcomp(b, f, i)) + (\text{if } bval\ b\ s = f \text{ then } i \text{ else } 0) \wedge \\ s' &= s \wedge stk' = stk \end{aligned}$$

**definition**  $cpred :: com \Rightarrow config \Rightarrow config \Rightarrow bool$  **where**

$cpred \equiv \lambda c\ (pc, s, stk)\ (pc', s', stk')$ .

$$pc' = pc + \text{size } (ccomp\ c) \wedge (c, s) \Rightarrow s' \wedge stk' = stk$$

**definition**  $mpred :: instr\ list \Rightarrow config\ list \Rightarrow nat \Rightarrow nat \Rightarrow bool$  **where**

$mpred\ P\ cfs\ m\ n \equiv \text{case } cfs\ !\ 0\ \text{of } (-, -, stk_0) \Rightarrow$

$\forall k \in \{m..<n\}. \text{case } cfs\ !\ k\ \text{of } (pc, -, stk) \Rightarrow$

$$msp\ P\ pc \leq \text{length } stk - \text{length } stk_0 \wedge \text{length } stk_0 \leq \text{length } stk$$

**abbreviation**  $off :: instr\ list \Rightarrow config \Rightarrow config$  **where**

$off\ P\ cf \equiv (fst\ cf - \text{size } P, snd\ cf)$

By slightly extending their conclusions, the lemmas used to prove compiler correctness automatically for constructors  $N$ ,  $V$ ,  $Bc$ , and  $SKIP$  can be reused for the new well-behavedness proof as well. Actually, it is sufficient to additionally infer that (i) the given complete execution consists of one or two steps and (ii) in the latter case, the initial program counter is zero, so that the first inequality within  $mpred$ 's definition matches the trivial one  $0 \leq 0$ .

**lemma**  $iexec\text{-offset}$  [intro]:

$(ins, pc, s, stk) \mapsto (pc', s', stk') \Longrightarrow$

$(ins, pc - i, s, stk) \mapsto (pc' - i, s', stk')$

**by** ( $auto\ simp: iexec\text{-simp}\ split: instr.split$ )

**lemma**  $execl\text{-next}$ :

$\llbracket P \models cfs; k < \text{length } cfs; k \neq \text{length } cfs - 1 \rrbracket \Longrightarrow$

$(P \ !!\ fst\ (cfs\ !\ k), cfs\ !\ k) \mapsto cfs\ !\ Suc\ k \wedge$

$0 \leq fst\ (cfs\ !\ k) \wedge fst\ (cfs\ !\ k) < \text{size } P$

**by** ( $induction\ cfs\ arbitrary; k\ rule: execl.induct, auto$

$simp: nth\text{-Cons}\ exec1\text{-def}\ split: nat.split$ )

**lemma**  $execl\text{-last}$ :

$\llbracket P \models cfs; k < \text{length } cfs; fst\ (cfs\ !\ k) \notin \{0..<\text{size } P\} \rrbracket \Longrightarrow$

$\text{length } cfs - 1 = k$

**by** ( $induction\ cfs\ arbitrary; k\ rule: execl.induct, auto$

$simp: nth\text{-Cons}\ exec1\text{-def}\ split: nat.split\text{-asm}$ )

**lemma**  $execl\text{-take}$ :

$P \models cfs \Longrightarrow P \models take\ n\ cfs$

**by** ( $induction\ cfs\ arbitrary; n\ rule: execl.induct, simp\text{-all}\ (no\text{-asm}\text{-simp})$

$add: take\text{-Cons}\ split: nat.split, subst\ take\text{-Suc}\text{-Cons}\ [symmetric], fastforce$ )

**lemma**  $execl\text{-drop}$ :

$P \models cfs \Longrightarrow P \models drop\ n\ cfs$

**by** (*induction cfs arbitrary: n rule: execl.induct, simp-all*  
*add: drop-Cons split: nat.split*)

**lemma** *execl-all-N* [*simplified, dest*]:

$[LOADI\ i] \models cfs\Box \implies apred\ (N\ i)\ (cfs\ !\ 0)\ (cfs\ !\ (length\ cfs\ -\ 1)) \wedge$   
 $length\ cfs = 2 \wedge fst\ (cfs\ !\ 0) = 0$

**by** (*clarsimp simp: execl-all-def apred-def, cases cfs ! 0,*  
*subgoal-tac length cfs - 1 = 1, frule-tac [] execl-next,*  
*((rule ccontr)?, fastforce, (rule execl-last)?)+*)

**lemma** *execl-all-V* [*simplified, dest*]:

$[LOAD\ x] \models cfs\Box \implies apred\ (V\ x)\ (cfs\ !\ 0)\ (cfs\ !\ (length\ cfs\ -\ 1)) \wedge$   
 $length\ cfs = 2 \wedge fst\ (cfs\ !\ 0) = 0$

**by** (*clarsimp simp: execl-all-def apred-def, cases cfs ! 0,*  
*subgoal-tac length cfs - 1 = 1, frule-tac [] execl-next,*  
*((rule ccontr)?, fastforce, (rule execl-last)?)+*)

**lemma** *execl-all-Bc* [*simplified, dest*]:

$\llbracket if\ v = f\ then\ [JMP\ i]\ else\ [] \rrbracket \models cfs\Box; 0 \leq i \implies$   
 $bpred\ (Bc\ v,\ f,\ i)\ (cfs\ !\ 0)\ (cfs\ !\ (length\ cfs\ -\ 1)) \wedge$   
 $length\ cfs = (if\ v = f\ then\ 2\ else\ 1) \wedge fst\ (cfs\ !\ 0) = 0$

**by** (*clarsimp simp: execl-all-def bpred-def split: if-split-asm, cases cfs ! 0,*  
*subgoal-tac length cfs - 1 = 1, frule-tac [1-2] execl-next,*  
*((rule ccontr)?, force, (rule execl-last)?)+, rule execl.cases [of ([]), cfs],*  
*auto simp: execl1-def*)

**lemma** *execl-all-SKIP* [*simplified, dest*]:

$[] \models cfs\Box \implies cpred\ SKIP\ (cfs\ !\ 0)\ (cfs\ !\ (length\ cfs\ -\ 1)) \wedge length\ cfs = 1$

**by** (*rule execl.cases [of ([]), cfs], auto simp: execl-all-def execl1-def cpred-def*)

In [7], part of the proof of lemma *execl-all-sub* is devoted to establishing the fundamental property of predicate *execl-all* stated above: for any complete execution of program  $P @ P' @ P''$  making the program counter point to the beginning of  $P'$  in its  $k$ -th step, there exists a sub-execution starting from the  $k$ -th step and being a complete execution of  $P'$ .

Here below, this property is proven as a lemma in its own respect, named *execl-all*, so that besides *execl-all-sub*, it can be reused to prove a further lemma *execl-all-sub-m*. This new lemma establishes that, if (i) *execl-all-sub*'s assumptions hold, (ii) any complete execution of  $P'$  fulfills predicate *mpred*, and (iii) the initial assembly stack is not longer than the one in the  $k$ -th step, then there exists a sub-execution starting from the  $k$ -th step and fulfilling both predicates  $Q$  and *mpred*. Within the new well-behavedness proof, this lemma will play the same role as *execl-all-sub* in the compiler correctness proof; namely, for each structural induction subgoal, it will entail that the respective complete execution is comprised of pieces fulfilling *mpred*. As with *execl-all-sub*,  $Q$  can be instantiated to *apred*, *bpred*, or *cpred*; indeed,

knowing that sub-executions satisfy these predicates in addition to  $mpred$  is necessary to show that the whole execution satisfies  $mpred$ . For example, to draw the conclusion that the assembly code  $acompa @ [STORE x]$  for an assignment meets  $mpred$ , one needs to know that  $acompa$ 's sub-execution also meets  $apred$ , so that the assembly stack contains an element more than the initial stack when instruction  $STORE x$  is executed.

**lemma** *execl-sub-aux*:

$\llbracket \bigwedge m n. \forall k \in \{m..<n\}. Q P' (((pc, s, stk) \# cfs) ! k) \implies P' \models$   
 $\text{map } (off P) (\text{case } m \text{ of } 0 \Rightarrow (pc, s, stk) \# \text{take } n \text{ cfs} \mid \text{Suc } m \Rightarrow F \text{ cfs } m \ n);$   
 $\forall k \in \{m..<n+m+\text{length } cfs'\}. Q P' ((cfs' @ (pc, s, stk) \# cfs) ! (k-m)) \rrbracket \implies$   
 $P' \models (pc - \text{size } P, s, stk) \# \text{map } (off P) (\text{take } n \text{ cfs})$   
 $(\text{is } \llbracket \bigwedge - . \forall k \in -. Q P' (?F k) \implies -; \forall k \in ?A. Q P' (?G k) \rrbracket \implies -)$   
**by** (*subgoal-tac*  $\forall k \in \{0..<n\}. Q P' (?F k)$ , *fastforce*, *subgoal-tac*  
 $\forall k \in \{0..<n\}. k + m + \text{length } cfs' \in ?A \wedge ?F k = ?G (k + m + \text{length } cfs')$ ,  
*fastforce*, *simp add: nth-append*)

**lemma** *execl-sub*:

$\llbracket P @ P' @ P'' \models cfs; \forall k \in \{m..<n\}. \text{size } P \leq \text{fst } (cfs ! k) \wedge \text{fst } (cfs ! k) - \text{size } P < \text{size } P' \rrbracket \implies$   
 $P' \models \text{map } (off P) (\text{drop } m (\text{take } (Suc n) \text{ cfs}))$   
 $(\text{is } \llbracket -; \forall k \in -. ?P P' cfs k \rrbracket \implies P' \models \text{map } - (?F cfs m (Suc n)))$

**proof** (*induction* *cfs arbitrary*:  $m \ n$  *rule*: *execl.induct* [*of* -  $P'$ ], *auto*  
*simp*: *take-Cons drop-Cons exec1-def split: nat.split, force, force, force,*  
*erule execl-sub-aux [where m = 0], subst append-Cons [of - []], simp,*  
*erule execl-sub-aux [where m = Suc 0 and cfs' = []], simp*)

**fix**  $P' \ pc \ s \ stk \ cfs \ m \ n$

**let**  $?cf = (pc, s, stk) :: \text{config}$

**assume**  $\bigwedge m n. \forall k \in \{m..<n\}. ?P P' (?cf \# cfs) k \implies P' \models$

$\text{map } (off P) (\text{case } m \text{ of } 0 \Rightarrow ?cf \# \text{take } n \text{ cfs} \mid \text{Suc } m \Rightarrow ?F \text{ cfs } m \ n)$

**moreover assume**  $\forall k \in \{\text{Suc } (Suc m)..<\text{Suc } n\}. ?P P' cfs (k - \text{Suc } (Suc 0))$

**hence**  $\forall k \in \{\text{Suc } m..<n\}. ?P P' (?cf \# cfs) k$

**by** *force*

**ultimately show**  $P' \models \text{map } (off P) (?F \text{ cfs } m \ n)$

**by** *fastforce*

**qed**

**lemma** *execl-all*:

**assumes**

$A: P @ P' x @ P'' \models cfs \square$  **and**

$B: k < \text{length } cfs$  **and**

$C: \text{fst } (cfs ! k) = \text{size } P$

**shows**  $\exists k' \in \{k..<\text{length } cfs\}. P' x \models \text{map } (off P) (\text{drop } k (\text{take } (Suc k') \text{ cfs})) \square$

$(\text{is } \exists k' \in -. - \models ?F k' \square)$

**proof** –

**let**  $?P = \lambda k. \text{size } P \leq \text{fst } (cfs ! k) \wedge \text{fst } (cfs ! k) - \text{size } P < \text{size } (P' x)$

**let**  $?A = \{k'. k' \in \{k..<\text{length } cfs\} \wedge \neg ?P k'\}$

**have**  $D: \text{Min } ?A \in ?A$

(is  $?k' \in -$ )  
 using  $A$  and  $B$  by (rule-tac Min-in, simp-all add: execl-all-def,  
 rule-tac exI [of - length cfs - 1], auto)  
 moreover from this have  $?F ?k' ! (length (?F ?k') - 1) = off P (cfs ! ?k')$   
 by (auto dest!: min-absorb2 simp: less-eq-Suc-le)  
 moreover have  $\neg (\exists k'. k' \in \{k'. k' \in \{k..<?k'\} \wedge \neg ?P k'\})$   
 by (rule notI, erule exE, frule rev-subsetD [of - - ?A], rule subsetI,  
 insert D, simp, subgoal-tac finite ?A, drule Min-le, force+)  
 hence  $P' x \models ?F ?k'$   
 using  $A$  by (subst (asm) execl-all-def, rule-tac execl-sub, blast+)  
 ultimately show  $?thesis$   
 using  $C$  by (auto simp: execl-all-def)  
 qed

lemma *execl-all-sub* [rule-format]:

assumes  
 A:  $P @ P' x @ P'' \models cfs \square$  and  
 B:  $k < length cfs$  and  
 C:  $fst (cfs ! k) = size P$  and  
 D:  $\forall cfs. P' x \models cfs \square \longrightarrow Q x (cfs ! 0) (cfs ! (length cfs - 1))$   
 shows  $\exists k' < length cfs. Q x (off P (cfs ! k)) (off P (cfs ! k'))$   
 proof -  
 have  $\exists k' \in \{k..<length cfs\}. P' x \models map (off P) (drop k (take (Suc k') cfs)) \square$   
 (is  $\exists k' \in -. - \models ?F k' \square$ )  
 using  $A$  and  $B$  and  $C$  by (rule execl-all)  
 then obtain  $k'$  where  $k' \in \{k..<length cfs\}$  and  
 $Q x (?F k' ! 0) (?F k' ! (length (?F k') - 1))$   
 using  $D$  by blast  
 moreover from this have  $?F k' ! (length (?F k') - 1) = off P (cfs ! k')$   
 by (auto dest!: min-absorb2 simp: less-eq-Suc-le)  
 ultimately show  $?thesis$   
 by auto  
 qed

lemma *execl-all-sub2*:

assumes  
 A:  $P x @ P' x' @ P'' \models cfs \square$   
 (is  $?P \models - \square$ ) and  
 B:  $\bigwedge cfs. P x \models cfs \square \implies (\lambda(pc, s, stk) (pc', s', stk').$   
 $pc' = pc + size (P x) + I s \wedge Q s s' \wedge stk' = F s stk)$   
 $(cfs ! 0) (cfs ! (length cfs - 1))$   
 (is  $\bigwedge cfs. - \implies ?Q x (cfs ! 0) (cfs ! (length cfs - 1))$ ) and  
 C:  $\bigwedge cfs. P' x' \models cfs \square \implies (\lambda(pc, s, stk) (pc', s', stk').$   
 $pc' = pc + size (P' x') + I' s \wedge Q' s s' \wedge stk' = F' s stk)$   
 $(cfs ! 0) (cfs ! (length cfs - 1))$   
 (is  $\bigwedge cfs. - \implies ?Q' x' (cfs ! 0) (cfs ! (length cfs - 1))$ ) and  
 D:  $I (fst (snd (cfs ! 0))) = 0$   
 shows  $\exists k < length cfs. \exists t. (\lambda(pc, s, stk) (pc', s', stk').$   
 $pc = 0 \wedge pc' = size (P x) + size (P' x') + I' t \wedge Q s t \wedge Q' t s' \wedge$

$stk' = F' t (F s stk) (cfs ! 0) (cfs ! k)$   
**by** (*subgoal-tac*  $\square$   $\text{@ } ?P \models cfs \square$ , *drule execl-all-sub* [**where**  $k = 0$  **and**  $Q = ?Q$ ],  
*insert A B*, (*clarsimp simp: execl-all-def*)+, *insert A C D*, *drule execl-all-sub*  
[**where**  $Q = ?Q$ ], *simp+*, *clarify*, *rule exI*, *rule conjI*, *simp*, *rule exI*, *auto*)

**lemma** *execl-all-sub-m* [*rule-format*]:

**assumes**

$A: P \text{@ } P' x \text{@ } P'' \models cfs \square$  **and**

$B: k < \text{length } cfs$  **and**

$C: \text{fst } (cfs ! k) = \text{size } P$  **and**

$D: \text{length } (\text{snd } (\text{snd } (cfs ! 0))) \leq \text{length } (\text{snd } (\text{snd } (cfs ! k)))$  **and**

$E: \forall cfs. P' x \models cfs \square \longrightarrow Q x (cfs ! 0) (cfs ! (\text{length } cfs - 1))$  **and**

$F: \forall cfs. P' x \models cfs \square \longrightarrow \text{mpred } (P' x) cfs 0 (\text{length } cfs - 1)$

**shows**  $\exists k' < \text{length } cfs. Q x (\text{off } P (cfs ! k)) (\text{off } P (cfs ! k')) \wedge$

$\text{mpred } (P \text{@ } P' x \text{@ } P'') cfs k k'$

**proof** –

**have**  $\exists k' \in \{k..<\text{length } cfs\}. P' x \models \text{map } (\text{off } P) (\text{drop } k (\text{take } (\text{Suc } k') cfs)) \square$

(**is**  $\exists k' \in -. - \models ?F k' \square$ )

**using**  $A$  **and**  $B$  **and**  $C$  **by** (*rule execl-all*)

**then obtain**  $k'$  **where**  $G: k' \in \{k..<\text{length } cfs\}$  **and**  $H: P' x \models ?F k' \square$  **and**

$Q x (?F k' ! 0) (?F k' ! (\text{length } (?F k') - 1))$

**using**  $E$  **by** *blast*

**moreover from this have**  $?F k' ! (\text{length } (?F k') - 1) = \text{off } P (cfs ! k')$

**by** (*auto dest!: min-absorb2 simp: less-eq-Suc-le*)

**ultimately have**  $I: Q x (\text{off } P (cfs ! k)) (\text{off } P (cfs ! k'))$

**by** *auto*

**have**  $\text{mpred } (P' x) (?F k') 0 (\text{length } (?F k') - 1)$

**using**  $F$  **and**  $H$  **by** *blast*

**moreover have**  $\text{length } (?F k') - 1 = k' - k$

**using**  $G$  **by** *auto*

**ultimately have**  $\text{mpred } (P \text{@ } P' x \text{@ } P'') cfs k k'$

**proof** (*auto del: conjI simp: mpred-def split: prod.split prod.split-asm*)

**fix**  $j s stk pc_0 s_0 stk_0 pc' s' stk'$

**assume**  $\forall j' \in \{0..<k' - k\}. \forall s' stk'. \text{snd } (cfs ! (k + j')) = (s', stk') \longrightarrow$

$\text{msp } (P' x) (\text{fst } (cfs ! (k + j')) - \text{size } P) \leq \text{length } stk' - \text{length } stk \wedge$

$\text{length } stk \leq \text{length } stk'$  **and**

$J: k \leq j$  **and**

$K: j < k'$  **and**

$L: cfs ! 0 = (pc_0, s_0, stk_0)$  **and**

$M: \text{snd } (cfs ! k) = (s, stk)$  **and**

$N: cfs ! j = (pc', s', stk')$

**moreover from this have**  $\text{snd } (cfs ! (k + (j - k))) = (s', stk')$

**by** *simp*

**ultimately have**  $\text{msp } (P' x) (pc' - \text{size } P) \leq \text{length } stk' - \text{length } stk \wedge$

$\text{length } stk \leq \text{length } stk'$

**by** *fastforce*

**moreover have**  $0 \leq pc' - \text{size } P \wedge pc' - \text{size } P < \text{size } (P' x)$

**using**  $G$  **and**  $H$  **and**  $J$  **and**  $K$  **and**  $N$  **by** (*insert execl-next*

[*of*  $P' x ?F k' j - k$ ], *simp add: execl-all-def*)

**ultimately show**  $msp (P @ P' x @ P'') pc' \leq length\ stk' - length\ stk_0 \wedge$   
 $length\ stk_0 \leq length\ stk'$   
**using**  $D$  and  $L$  and  $M$  **by**  $(auto\ simp: msp-def\ split: instr.split)$   
**qed**  
**thus**  $?thesis$   
**using**  $G$  and  $I$  **by**  $auto$   
**qed**

The lemmas here below establish the properties of predicate  $mpred$  required for the new well-behavedness proof. In more detail:

- Lemma  $mpred-merge$  states that, if two consecutive sublists of a list of configurations are both well-behaved, then such is the merged sublist. This lemma is the means enabling to infer that a complete execution made of well-behaved pieces is itself well-behaved.
- Lemma  $mpred-drop$  states that, under proper assumptions, if a sublist of a suffix of a list of configurations is well-behaved, then such is the matching sublist of the whole list. In the subgoal of the well-behavedness proof for loops where an iteration has been run, this lemma can be used to deduce the well-behavedness of the whole execution from that of the sub-execution following that iteration.
- Lemma  $mpred-execl-m-exec$  states that, if a nonempty small-step assembly code execution is well-behaved, then the machine configurations corresponding to the initial and final assembly ones are linked by a machine code execution. Namely, this lemma proves that the well-behavedness property expressed by predicate  $mpred$  is sufficient to fulfill the assumptions of lemma  $execl-m-exec1$  in each intermediate step. Once any complete small-step assembly program execution is proven to satisfy  $mpred$ , this lemma can then be used to achieve the final goal of establishing that source programs are simulated by machine ones.

**lemma**  $mpred-merge$ :

$\llbracket mpred\ P\ cfs\ k\ m; mpred\ P\ cfs\ m\ n \rrbracket \implies mpred\ P\ cfs\ k\ n$   
**by**  $(subgoal-tac\ \{k..<n\} \subseteq \{k..<m\} \cup \{m..<n\},$   
 $simp\ add: mpred-def\ split: prod.split-asm, rule\ ballI, auto)$

**lemma**  $mpred-drop$ :

**assumes**

$A: k \leq length\ cfs$  **and**

$B: length\ (snd\ (snd\ (cfs\ !\ 0))) \leq length\ (snd\ (snd\ (cfs\ !\ k)))$

**shows**  $mpred\ P\ (drop\ k\ cfs)\ m\ n \implies mpred\ P\ cfs\ (k + m)\ (k + n)$

**proof**  $(clarsimp\ simp: mpred-def)$

**fix**  $k' pc pc' pc'' s s' s'' stk stk''$  **and**  $stk' :: stack$   
**assume**  $\forall k'' \in \{m..<n\}$ . *case drop k cfs ! k'' of (pc'', s'', stk'')  $\Rightarrow$*   
*msp P pc''  $\leq$  length stk'' - length stk'  $\wedge$  length stk'  $\leq$  length stk''*  
*(is  $\forall k'' \in \cdot$ . ?Q k'')*  
**hence**  $k' - k \in \{m..<n\} \longrightarrow ?Q (k' - k)$   
**by** *simp*  
**moreover assume**  $k + m \leq k'$  **and**  $k' < k + n$  **and**  $cfs ! 0 = (pc, s, stk)$  **and**  
*drop k cfs ! 0 = (pc', s', stk')* **and**  $cfs ! k' = (pc'', s'', stk'')$   
**ultimately show**  
*msp P pc''  $\leq$  length stk'' - length stk  $\wedge$  length stk  $\leq$  length stk''*  
**using** *A and B by auto*  
**qed**

**lemma** *mpred-execl-m-exec [simplified Let-def]:*

$\llbracket cfs \neq []; P \models cfs; mpred P cfs 0 (length cfs - 1) \rrbracket \Longrightarrow$   
*case (cfs ! 0, cfs ! (length cfs - 1)) of ((pc, s, stk), (pc', s', stk'))  $\Rightarrow$*   
*let sp' = length stk' - length stk in to-m-prog P  $\vdash$*   
*(pc, to-m-state (vars P) s, 0)  $\rightarrow^*$*   
*(pc', add-m-stack sp' stk' (to-m-state (vars P) s'), sp')*

**proof** (*induction cfs rule: rev-nonempty-induct, force, rule rev-cases, erule notE, simp-all only: nth-append, auto simp: Let-def simp del: to-m-prog.simps*)

**fix**  $cfs pc pc' pc'' s s' s'' stk''$  **and**  $stk :: stack$  **and**  $stk' :: stack$

**let**  $?sp = length stk' - length stk$

**assume**  $P \models cfs @ [(pc', s', stk')] \Longrightarrow$

*mpred P (cfs @ [(pc', s', stk')]) 0 (length cfs)  $\Longrightarrow$*   
*to-m-prog P  $\vdash$*

*(pc, to-m-state (vars P) s, 0)  $\rightarrow^*$*

*(pc', add-m-stack ?sp stk' (to-m-state (vars P) s'), ?sp)*

**(is**  $?P \Longrightarrow ?Q \Longrightarrow ?R$ )

**moreover assume**  $A: P \models cfs @ [(pc', s', stk'), (pc'', s'', stk'')]$

**(is**  $- \models ?cfs$ )

**hence**  $?P$

**by** (*drule-tac execl-take [where n = Suc (length cfs)], simp*)

**moreover assume**  $B: mpred P ?cfs 0 (Suc (length cfs))$

**hence**  $?Q$

**by** (*auto simp: mpred-def nth-append split: if-split-asm*)

**ultimately have**  $?R$

**by** *simp*

**let**  $?sp' = ?sp + length stk'' - length stk'$

**let**  $?sp'' = length stk'' - length stk$

**have**  $P \vdash (pc', s', stk') \rightarrow (pc'', s'', stk'')$

**by** (*insert execl-drop [OF A, of length cfs], simp*)

**moreover assume**  $(cfs @ [(pc', s', stk')]) ! 0 = (pc, s, stk)$

**hence**  $C: msp P pc' \leq ?sp \wedge length stk \leq length stk'$

**using** *B by (auto simp: mpred-def nth-append split: if-split-asm)*

**ultimately have** *to-m-prog P  $\vdash$*

*(pc', add-m-stack ?sp stk' (to-m-state (vars P) s'), ?sp)  $\rightarrow$*

*(pc'', add-m-stack ?sp' stk'' (to-m-state (vars P) s''), ?sp')*

**by** (*rule-tac execl-m-exec1, simp-all*)

**thus** *to-m-prog*  $P \vdash$   
 $(pc, \text{to-m-state } (vars\ P)\ s, 0) \rightarrow^*$   
 $(pc'', \text{add-m-stack } ?sp''\ stk''\ (\text{to-m-state } (vars\ P)\ s''), ?sp'')$   
**using**  $\langle ?R \rangle$  **and**  $C$  **by** (*auto intro: star-trans*)  
**qed**

## 2.2 Main theorems

Here below is the proof that every complete small-step execution of an assembly program fulfills predicate *cpred* (lemma *ccomp-correct*), which is reused as is from [7], followed by the proof that every such execution satisfies predicate *mpred* as well (lemma *ccomp-correct-m*), which closely resembles the former one.

**lemma** *acompc-acompc*:

$\llbracket \text{acompc } a_1 @ \text{acompc } a_2 @ P \models \text{cfs}\square;$   
 $\bigwedge \text{cfs. } \text{acompc } a_1 \models \text{cfs}\square \implies \text{apred } a_1\ (\text{cfs}!\ 0)\ (\text{cfs}!\ (\text{length } \text{cfs} - 1));$   
 $\bigwedge \text{cfs. } \text{acompc } a_2 \models \text{cfs}\square \implies \text{apred } a_2\ (\text{cfs}!\ 0)\ (\text{cfs}!\ (\text{length } \text{cfs} - 1)) \rrbracket \implies$   
 $\text{case } \text{cfs}!\ 0 \text{ of } (pc, s, stk) \Rightarrow pc = 0 \wedge (\exists k < \text{length } \text{cfs. } \text{cfs}!\ k =$   
 $(\text{size } (\text{acompc } a_1 @ \text{acompc } a_2), s, \text{aval } a_2\ s \# \text{aval } a_1\ s \# \text{stk}))$   
**by** (*drule execl-all-sub2 [where I =  $\lambda s. 0$  and I' =  $\lambda s. 0$  and Q =  $\lambda s\ s'. s' = s$*   
**and**  $Q' = \lambda s\ s'. s' = s$  **and**  $F = \lambda s\ stk. \text{aval } a_1\ s \# \text{stk}$   
**and**  $F' = \lambda s\ stk. \text{aval } a_2\ s \# \text{stk}$ ], *auto simp: apred-def*)

**lemma** *bcomp-bcomp*:

$\llbracket \text{bcomp } (b_1, f_1, i_1) @ \text{bcomp } (b_2, f_2, i_2) \models \text{cfs}\square;$   
 $\bigwedge \text{cfs. } \text{bcomp } (b_1, f_1, i_1) \models \text{cfs}\square \implies$   
 $\text{bpred } (b_1, f_1, i_1)\ (\text{cfs}!\ 0)\ (\text{cfs}!\ (\text{length } \text{cfs} - 1));$   
 $\bigwedge \text{cfs. } \text{bcomp } (b_2, f_2, i_2) \models \text{cfs}\square \implies$   
 $\text{bpred } (b_2, f_2, i_2)\ (\text{cfs}!\ 0)\ (\text{cfs}!\ (\text{length } \text{cfs} - 1)) \rrbracket \implies$   
 $\text{case } \text{cfs}!\ 0 \text{ of } (pc, s, stk) \Rightarrow pc = 0 \wedge (\text{bval } b_1\ s \neq f_1 \longrightarrow$   
 $(\exists k < \text{length } \text{cfs. } \text{cfs}!\ k = (\text{size } (\text{bcomp } (b_1, f_1, i_1) @ \text{bcomp } (b_2, f_2, i_2)) +$   
 $(\text{if } \text{bval } b_2\ s = f_2 \text{ then } i_2 \text{ else } 0), s, \text{stk})))$   
**by** (*clarify, rule conjI, simp add: execl-all-def, rule impI, subst (asm) append-Nil2*  
 $[\text{symmetric}]$ , *drule execl-all-sub2 [where I =  $\lambda s. \text{if } \text{bval } b_1\ s = f_1 \text{ then } i_1 \text{ else } 0$*   
**and**  $I' = \lambda s. \text{if } \text{bval } b_2\ s = f_2 \text{ then } i_2 \text{ else } 0$  **and**  $Q = \lambda s\ s'. s' = s$   
**and**  $Q' = \lambda s\ s'. s' = s$  **and**  $F = \lambda s\ stk. \text{stk}$  **and**  $F' = \lambda s\ stk. \text{stk}$ ],  
*auto simp: bpred-def*)

**lemma** *acompc-correct* [*simplified, intro*]:

$\text{acompc } a \models \text{cfs}\square \implies \text{apred } a\ (\text{cfs}!\ 0)\ (\text{cfs}!\ (\text{length } \text{cfs} - 1))$   
**proof** (*induction a arbitrary: cfs, simp-all, frule-tac [3] acompc-acompc, auto*)  
**fix**  $a_1\ a_2\ \text{cfs}\ s\ \text{stk}\ k$   
**assume**  $A: \text{acompc } a_1 @ \text{acompc } a_2 @ [\text{ADD}] \models \text{cfs}\square$   
 $(\text{is } ?ca_1 @ ?ca_2 @ ?i \models \neg\square)$   
**assume**  $B: k < \text{length } \text{cfs}$  **and**  
 $C: \text{cfs}!\ k = (\text{size } ?ca_1 + \text{size } ?ca_2, s, \text{aval } a_2\ s \# \text{aval } a_1\ s \# \text{stk})$   
**hence**  $\text{cfs}!\ \text{Suc } k = (\text{size } (?ca_1 @ ?ca_2 @ ?i), s, \text{aval } (\text{Plus } a_1\ a_2)\ s \# \text{stk})$

**using**  $A$  **by** (*insert execl-next [of ?ca<sub>1</sub> @ ?ca<sub>2</sub> @ ?i cfs k],  
simp add: execl-all-def, drule-tac impI, auto*)  
**thus** *apred (Plus a<sub>1</sub> a<sub>2</sub>) (0, s, stk) (cfs ! (length cfs - Suc 0))*  
**using**  $A$  **and**  $B$  **and**  $C$  **by** (*insert execl-last [of ?ca<sub>1</sub> @ ?ca<sub>2</sub> @ ?i cfs Suc k],  
simp add: execl-all-def apred-def, drule-tac impI, auto*)  
**qed**

**lemma** *bcomp-correct [simplified, intro]:*

$\llbracket bcomp\ x \models cfs\Box; 0 \leq snd\ (snd\ x) \rrbracket \implies bpred\ x\ (cfs\ !\ 0)\ (cfs\ !\ (length\ cfs\ -\ 1))$

**proof** (*induction x arbitrary: cfs rule: bcomp.induct, simp-all add: Let-def,  
frule-tac [4] acomp-acomp, frule-tac [3] bcomp-bcomp, auto, force simp: bpred-def*)

**fix**  $b_1\ b_2\ f\ i\ cfs\ s\ stk$

**assume**  $A$ :  $bcomp\ (b_1,\ False,\ size\ (bcomp\ (b_2,\ f,\ i))\ +\ (if\ f\ then\ 0\ else\ i))\ @$   
 $bcomp\ (b_2,\ f,\ i) \models cfs\Box$

(**is**  $bcomp\ (-,\ -,\ ?n\ +\ ?i)\ @\ ?cb \models -\Box$ )

**moreover assume**  $B$ :  $cfs\ !\ 0 = (0,\ s,\ stk)$  **and**

$\bigwedge cb\ cfs.\ \llbracket cb = ?cb; bcomp\ (b_1,\ False,\ ?n\ +\ ?i) \models cfs\Box \rrbracket \implies$

$bpred\ (b_1,\ False,\ ?n\ +\ ?i)\ (cfs\ !\ 0)\ (cfs\ !\ (length\ cfs\ -\ Suc\ 0))$

**ultimately have**  $\exists k < length\ cfs.\ bpred\ (b_1,\ False,\ ?n\ +\ ?i)$

(*off [] (cfs ! 0)*) (*off [] (cfs ! k)*)

**by** (*rule-tac execl-all-sub, auto simp: execl-all-def*)

**moreover assume**  $C$ :  $\neg\ bval\ b_1\ s$

**ultimately obtain**  $k$  **where**  $D$ :  $k < length\ cfs$  **and**

$E$ :  $cfs\ !\ k = (size\ (bcomp\ (b_1,\ False,\ ?n\ +\ ?i))\ +\ ?n\ +\ ?i,\ s,\ stk)$

**using**  $B$  **by** (*auto simp: bpred-def*)

**assume**  $0 \leq i$

**thus**  $bpred\ (And\ b_1\ b_2,\ f,\ i)\ (0,\ s,\ stk)\ (cfs\ !\ (length\ cfs\ -\ Suc\ 0))$

**using**  $A$  **and**  $C$  **and**  $D$  **and**  $E$  **by** (*insert execl-last, auto simp:*

*execl-all-def bpred-def Let-def*)

**next**

**fix**  $b_1\ b_2\ f\ i\ cfs\ s\ stk\ k$

**assume**  $A$ :  $bcomp\ (b_1,\ False,\ size\ (bcomp\ (b_2,\ f,\ i))\ +\ (if\ f\ then\ 0\ else\ i))\ @$

$bcomp\ (b_2,\ f,\ i) \models cfs\Box$

(**is**  $?cb_1\ @\ ?cb_2 \models -\Box$ )

**assume**  $k < length\ cfs$  **and**  $0 \leq i$  **and**  $bval\ b_1\ s$  **and**

$cfs\ !\ k = (size\ ?cb_1\ +\ size\ ?cb_2\ +\ (if\ bval\ b_2\ s = f\ then\ i\ else\ 0),\ s,\ stk)$

**thus**  $bpred\ (And\ b_1\ b_2,\ f,\ i)\ (0,\ s,\ stk)\ (cfs\ !\ (length\ cfs\ -\ Suc\ 0))$

**using**  $A$  **by** (*insert execl-last, auto simp: execl-all-def bpred-def Let-def*)

**next**

**fix**  $a_1\ a_2\ f\ i\ cfs\ s\ stk\ k$

**assume**  $A$ :  $acomp\ a_1\ @\ acomp\ a_2\ @$

(*if f then [JMPLESS i] else [JMPGE i]*)  $\models cfs\Box$

(**is**  $?ca_1\ @\ ?ca_2\ @\ ?i \models -\Box$ )

**assume**  $B$ :  $k < length\ cfs$  **and**

$C$ :  $cfs\ !\ k = (size\ ?ca_1\ +\ size\ ?ca_2,\ s,\ aval\ a_2\ s\ \#\ aval\ a_1\ s\ \#\ stk)$

**hence**  $D$ :  $cfs\ !\ Suc\ k =$

$(size\ (?ca_1\ @\ ?ca_2\ @\ ?i)\ +\ (if\ bval\ (Less\ a_1\ a_2)\ s = f\ then\ i\ else\ 0),\ s,\ stk)$

**using**  $A$  **by** (*insert execl-next [of ?ca<sub>1</sub> @ ?ca<sub>2</sub> @ ?i cfs k],*

*simp add: execl-all-def, drule-tac impI, auto split: if-split-asm*)

**assume**  $0 \leq i$   
**with**  $A$  **and**  $B$  **and**  $C$  **and**  $D$  **have**  $\text{length } cfs - 1 = \text{Suc } k$   
**by** (*rule-tac execl-last, auto simp: execl-all-def, simp split: if-split-asm*)  
**thus**  $\text{bpred } (\text{Less } a_1 a_2, f, i) (0, s, stk) (cfs ! (\text{length } cfs - \text{Suc } 0))$   
**using**  $D$  **by** (*simp add: bpred-def*)  
**qed**

**lemma** *bcomp-ccomp*:

$\llbracket \text{bcomp } (b, f, i) @ \text{ccomp } c @ P \models \text{cfs}\square; 0 \leq i; \wedge \text{cfs. } \text{ccomp } c \models \text{cfs}\square \implies \text{cpred } c (cfs ! 0) (cfs ! (\text{length } cfs - 1)) \rrbracket \implies$   
 $\text{case } cfs ! 0 \text{ of } (pc, s, stk) \Rightarrow pc = 0 \wedge (\text{bval } b \ s \neq f \longrightarrow$   
 $(\exists k < \text{length } cfs. \text{case } cfs ! k \text{ of } (pc', s', stk') \Rightarrow$   
 $pc' = \text{size } (\text{bcomp } (b, f, i) @ \text{ccomp } c) \wedge (c, s) \Rightarrow s' \wedge \text{stk}' = \text{stk}))$   
**by** (*clarify, rule conjI, simp add: execl-all-def, rule impI, drule execl-all-sub2*)  
**[where**  $I = \lambda s. \text{if } \text{bval } b \ s = f \text{ then } i \text{ else } 0$  **and**  $I' = \lambda s. 0$   
**and**  $Q = \lambda s \ s'. s' = s$  **and**  $Q' = \lambda s \ s'. (c, s) \Rightarrow s'$  **and**  $F = \lambda s \ stk. \text{stk}$   
**and**  $F' = \lambda s \ stk. \text{stk}$ ], *insert bcomp-correct [of (b, f, i)],*  
*auto simp: bpred-def cpred-def*

**lemma** *ccomp-ccomp*:

$\llbracket \text{ccomp } c_1 @ \text{ccomp } c_2 \models \text{cfs}\square; \wedge \text{cfs. } \text{ccomp } c_1 \models \text{cfs}\square \implies \text{cpred } c_1 (cfs ! 0) (cfs ! (\text{length } cfs - 1));$   
 $\wedge \text{cfs. } \text{ccomp } c_2 \models \text{cfs}\square \implies \text{cpred } c_2 (cfs ! 0) (cfs ! (\text{length } cfs - 1)) \rrbracket \implies$   
 $\text{case } cfs ! 0 \text{ of } (pc, s, stk) \Rightarrow pc = 0 \wedge (\exists k < \text{length } cfs. \exists t. \text{case } cfs ! k \text{ of } (pc', s', stk') \Rightarrow$   
 $pc' = \text{size } (\text{ccomp } c_1 @ \text{ccomp } c_2) \wedge (c_1, s) \Rightarrow t \wedge (c_2, t) \Rightarrow s' \wedge \text{stk}' = \text{stk})$   
**by** (*subst (asm) append-Nil2 [symmetric], drule execl-all-sub2 [where I =  $\lambda s. 0$*   
**and**  $I' = \lambda s. 0$  **and**  $Q = \lambda s \ s'. (c_1, s) \Rightarrow s'$  **and**  $Q' = \lambda s \ s'. (c_2, s) \Rightarrow s'$   
**and**  $F = \lambda s \ stk. \text{stk}$  **and**  $F' = \lambda s \ stk. \text{stk}$ ], *auto simp: cpred-def, force*)

**lemma** *while-correct [simplified, intro]*:

$\llbracket \text{bcomp } (b, \text{False}, \text{size } (\text{ccomp } c) + 1) @ \text{ccomp } c @$   
 $[\text{JMP } (- (\text{size } (\text{bcomp } (b, \text{False}, \text{size } (\text{ccomp } c) + 1) @ \text{ccomp } c) + 1))] \models \text{cfs}\square;$   
 $\wedge \text{cfs. } \text{ccomp } c \models \text{cfs}\square \implies \text{cpred } c (cfs ! 0) (cfs ! (\text{length } cfs - 1)) \rrbracket \implies$   
 $\text{cpred } (\text{WHILE } b \ \text{DO } c) (cfs ! 0) (cfs ! (\text{length } cfs - \text{Suc } 0))$   
**(is**  $\llbracket ?cb @ ?cc @ [\text{JMP } (- ?n)] \models \neg\square; \wedge \neg. \neg \implies \neg \rrbracket \implies ?Q \ \text{cfs}$ )

**proof** (*induction cfs rule: length-induct, frule bcomp-ccomp, auto*)

**fix**  $cfs \ s \ stk$

**assume**  $A: ?cb @ ?cc @ [\text{JMP } (- \text{size } ?cb - \text{size } ?cc - 1)] \models \text{cfs}\square$

**hence**  $\exists k < \text{length } cfs. \text{bpred } (b, \text{False}, \text{size } (\text{ccomp } c) + 1)$

$(\text{off } [] (cfs ! 0)) (\text{off } [] (cfs ! k))$

**by** (*rule-tac execl-all-sub, auto simp: execl-all-def*)

**moreover assume**  $B: \neg \text{bval } b \ s$  **and**  $cfs ! 0 = (0, s, stk)$

**ultimately obtain**  $k$  **where**  $k < \text{length } cfs$  **and**  $cfs ! k = (?n, s, stk)$

**by** (*auto simp: bpred-def*)

**thus**  $\text{cpred } (\text{WHILE } b \ \text{DO } c) (0, s, stk) (cfs ! (\text{length } cfs - \text{Suc } 0))$

**using**  $A$  **and**  $B$  **by** (*insert execl-last, auto simp: execl-all-def cpred-def Let-def*)

**next**

**fix**  $cfs\ s\ s'\ stk\ k$   
**assume**  $A: ?cb\ @\ ?cc\ @\ [JMP\ (-\ size\ ?cb\ -\ size\ ?cc\ -\ 1)]\ \models\ cfs\ \square$   
 (**is**  $?P\ \models\ -\square$ )  
**assume**  $B: k < length\ cfs$  **and**  $cfs\ !\ k = (size\ ?cb + size\ ?cc, s', stk)$   
**moreover from this have**  $C: k \neq length\ cfs - 1$   
**using**  $A$  **by** (*rule-tac notI, simp add: execl-all-def*)  
**ultimately have**  $D: cfs\ !\ Suc\ k = (0, s', stk)$   
**using**  $A$  **by** (*insert execl-next [of ?P cfs k], auto simp: execl-all-def*)  
**moreover have**  $E: Suc\ k + (length\ (drop\ (Suc\ k)\ cfs) - 1) = length\ cfs - 1$   
 (**is**  $- + (length\ ?cfs - -) = -$ )  
**using**  $B$  **and**  $C$  **by** *simp*  
**ultimately have**  $?P\ \models\ ?cfs\ \square$   
**using**  $A$  **and**  $B$  **and**  $C$  **by** (*auto simp: execl-all-def intro: execl-drop*)  
**moreover assume**  $\forall\ cfs'. length\ cfs' < length\ cfs \longrightarrow ?P\ \models\ cfs'\ \square \longrightarrow ?Q\ cfs'$   
**hence**  $length\ ?cfs < length\ cfs \longrightarrow ?P\ \models\ ?cfs\ \square \longrightarrow ?Q\ ?cfs\ ..$   
**ultimately have**  $cpred\ (WHILE\ b\ DO\ c)\ (cfs\ !\ Suc\ k)\ (cfs\ !\ (length\ cfs - 1))$   
**using**  $B$  **and**  $C$  **and**  $E$  **by** *simp*  
**moreover assume**  $bval\ b\ s$  **and**  $(c, s) \Rightarrow s'$   
**ultimately show**  $cpred\ (WHILE\ b\ DO\ c)\ (0, s, stk)\ (cfs\ !\ (length\ cfs - Suc\ 0))$   
**using**  $D$  **by** (*auto simp: cpred-def*)

**qed**

**lemma** *ccomp-correct [simplified, intro]:*

$ccomp\ c\ \models\ cfs\ \square \implies cpred\ c\ (cfs\ !\ 0)\ (cfs\ !\ (length\ cfs - 1))$   
**proof** (*induction c arbitrary: cfs, simp-all add: Let-def, frule-tac [4] bcomp-ccomp, frule-tac [3] ccomp-ccomp, auto*)  
**fix**  $a\ x\ cfs$   
**assume**  $A: acomp\ a\ @\ [STORE\ x]\ \models\ cfs\ \square$   
**hence**  $\exists\ k < length\ cfs.$   $apred\ a\ (off\ []\ (cfs\ !\ 0))\ (off\ []\ (cfs\ !\ k))$   
**by** (*rule-tac execl-all-sub, auto simp: execl-all-def*)  
**moreover obtain**  $s\ stk$  **where**  $B: cfs\ !\ 0 = (0, s, stk)$   
**using**  $A$  **by** (*cases cfs ! 0, simp add: execl-all-def*)  
**ultimately obtain**  $k$  **where**  $C: k < length\ cfs$  **and**  
 $D: cfs\ !\ k = (size\ (acom\ a), s, aval\ a\ s\ \# stk)$   
**by** (*auto simp: apred-def*)  
**hence**  $cfs\ !\ Suc\ k = (size\ (acom\ a) + 1, s(x := aval\ a\ s), stk)$   
**using**  $A$  **by** (*insert execl-next [of acomp a @ [STORE x] cfs k], simp add: execl-all-def, drule-tac impI, auto*)  
**thus**  $cpred\ (x ::= a)\ (cfs\ !\ 0)\ (cfs\ !\ (length\ cfs - Suc\ 0))$   
**using**  $A$  **and**  $B$  **and**  $C$  **and**  $D$  **by** (*insert execl-last [of acomp a @ [STORE x] cfs Suc k], simp add: execl-all-def cpred-def, drule-tac impI, auto*)

**next**

**fix**  $c_1\ c_2\ cfs\ s\ s'\ t\ stk\ k$   
**assume**  $ccomp\ c_1\ @\ ccomp\ c_2\ \models\ cfs\ \square$  **and**  $k < length\ cfs$  **and**  
 $cfs\ !\ k = (size\ (ccomp\ c_1) + size\ (ccomp\ c_2), s', stk)$   
**moreover assume**  $(c_1, s) \Rightarrow t$  **and**  $(c_2, t) \Rightarrow s'$   
**ultimately show**  $cpred\ (c_1;;\ c_2)\ (0, s, stk)\ (cfs\ !\ (length\ cfs - Suc\ 0))$   
**by** (*insert execl-last, auto simp: execl-all-def cpred-def*)

**next**  
**fix**  $b\ c_1\ c_2\ cfs\ s\ stk$   
**assume**  $A: bcomp\ (b,\ False,\ size\ (ccomp\ c_1) + 1)\ @\ ccomp\ c_1\ @$   
 $JMP\ (size\ (ccomp\ c_2))\ \#\ ccomp\ c_2\ \models\ cfs\ \square$   
 $(is\ bcomp\ ?x\ @\ ?cc_1\ @\ -\ \#\ ?cc_2\ \models\ -\ \square)$   
**let**  $?P = bcomp\ ?x\ @\ ?cc_1\ @\ [JMP\ (size\ ?cc_2)]$   
**have**  $\exists k < length\ cfs.\ bpred\ ?x\ (off\ []\ (cfs!\ 0))\ (off\ []\ (cfs!\ k))$   
**using**  $A$  **by**  $(rule\text{-}tac\ execl\text{-}all\text{-}sub,\ auto\ simp:\ execl\text{-}all\text{-}def)$   
**moreover assume**  $B: \neg\ bval\ b\ s$  **and**  $cfs!\ 0 = (0,\ s,\ stk)$   
**ultimately obtain**  $k$  **where**  $C: k < length\ cfs$  **and**  $D: cfs!\ k = (size\ ?P,\ s,\ stk)$   
**by**  $(force\ simp:\ bpred\text{-}def)$   
**assume**  $\bigwedge cfs.\ ?cc_2\ \models\ cfs\ \square \implies cpred\ c_2\ (cfs!\ 0)\ (cfs!\ (length\ cfs - Suc\ 0))$   
**hence**  $\exists k' < length\ cfs.\ cpred\ c_2\ (off\ ?P\ (cfs!\ k))\ (off\ ?P\ (cfs!\ k'))$   
**using**  $A$  **and**  $C$  **and**  $D$  **by**  $(rule\text{-}tac\ execl\text{-}all\text{-}sub\ [where\ P'' = []],\ auto)$   
**then obtain**  $k'$  **where**  $k' < length\ cfs$  **and**  $case\ cfs!\ k'$  **of**  $(pc',\ s',\ stk') \Rightarrow$   
 $pc' = size\ (?P\ @\ ?cc_2) \wedge (c_2,\ s) \Rightarrow s' \wedge stk' = stk$   
**using**  $D$  **by**  $(fastforce\ simp:\ cpred\text{-}def)$   
**thus**  $cpred\ (IF\ b\ THEN\ c_1\ ELSE\ c_2)\ (0,\ s,\ stk)\ (cfs!\ (length\ cfs - Suc\ 0))$   
**using**  $A$  **and**  $B$  **by**  $(insert\ execl\text{-}last,\ auto\ simp:\ execl\text{-}all\text{-}def\ cpred\text{-}def\ Let\text{-}def)$

**next**  
**fix**  $b\ c_1\ c_2\ cfs\ s\ s'\ stk\ k$   
**assume**  $A: bcomp\ (b,\ False,\ size\ (ccomp\ c_1) + 1)\ @\ ccomp\ c_1\ @$   
 $JMP\ (size\ (ccomp\ c_2))\ \#\ ccomp\ c_2\ \models\ cfs\ \square$   
 $(is\ ?cb\ @\ ?cc_1\ @\ ?i\ \#\ ?cc_2\ \models\ -\ \square)$   
**assume**  $B: k < length\ cfs$  **and**  $C: cfs!\ k = (size\ ?cb + size\ ?cc_1,\ s',\ stk)$   
**hence**  $D: cfs!\ Suc\ k = (size\ (?cb\ @\ ?cc_1\ @\ ?i\ \#\ ?cc_2),\ s',\ stk)$   
 $(is\ - = (size\ ?P,\ -, -))$   
**using**  $A$  **by**  $(insert\ execl\text{-}next\ [of\ ?P\ cfs\ k],\ simp\ add:\ execl\text{-}all\text{-}def,\ drule\text{-}tac\ impI,\ auto)$   
**assume**  $bval\ b\ s$  **and**  $(c_1,\ s) \Rightarrow s'$   
**thus**  $cpred\ (IF\ b\ THEN\ c_1\ ELSE\ c_2)\ (0,\ s,\ stk)\ (cfs!\ (length\ cfs - Suc\ 0))$   
**using**  $A$  **and**  $B$  **and**  $C$  **and**  $D$  **by**  $(insert\ execl\text{-}last\ [of\ ?P\ cfs\ Suc\ k],\ simp\ add:\ execl\text{-}all\text{-}def\ cpred\text{-}def\ Let\text{-}def,\ drule\text{-}tac\ impI,\ auto)$

**qed**

**lemma**  $acom\text{-}acom\text{-}m:$

**assumes**

$A: acom\ a_1\ @\ acom\ a_2\ @\ P\ \models\ cfs\ \square$

$(is\ ?P\ \models\ -\ \square)$  **and**

$B: \bigwedge cfs.\ acom\ a_1\ \models\ cfs\ \square \implies mpred\ (acom\ a_1)\ cfs\ 0\ (length\ cfs - 1)$  **and**

$C: \bigwedge cfs.\ acom\ a_2\ \models\ cfs\ \square \implies mpred\ (acom\ a_2)\ cfs\ 0\ (length\ cfs - 1)$

**shows**  $case\ cfs!\ 0$  **of**  $(pc,\ s,\ stk) \Rightarrow \exists k < length\ cfs.$

$cfs!\ k = (size\ (acom\ a_1\ @\ acom\ a_2),\ s,\ aval\ a_2\ s\ \#\ aval\ a_1\ s\ \#\ stk) \wedge$   
 $mpred\ ?P\ cfs\ 0\ k$

**proof**  $-$

**have**  $\exists k < length\ cfs.\ apred\ a_1\ (off\ []\ (cfs!\ 0))\ (off\ []\ (cfs!\ k)) \wedge$

$mpred\ ([]\ @\ ?P)\ cfs\ 0\ k$

**using**  $A$  **and**  $B$  **by**  $(rule\text{-}tac\ execl\text{-}all\text{-}sub\text{-}m,\ insert\ execl\text{-}all\text{-}def,\ auto)$

**then obtain**  $k\ s\ stk$  **where**  
 $cfs ! 0 = (0, s, stk) \wedge mpred\ ?P\ cfs\ 0\ k \wedge k < length\ cfs$  **and**  
 $D: cfs ! k = (size\ (acom\ a_1), s, aval\ a_1\ s\ \# \text{stk})$   
**using**  $A$  **by**  $(auto\ simp: \text{apred-def}\ \text{execl-all-def})$   
**moreover from this have**  $\exists k' < length\ cfs. \text{apred}\ a_2\ (\text{off}\ (acom\ a_1)\ (cfs ! k))$   
 $(\text{off}\ (acom\ a_1)\ (cfs ! k')) \wedge mpred\ ?P\ cfs\ k\ k'$   
**using**  $A$  **and**  $C$  **by**  $(rule\ \text{tac}\ \text{execl-all-sub-m}, \text{insert}\ \text{execl-all-def}, \text{auto})$   
**then obtain**  $k'$  **where**  $k' < length\ cfs \wedge mpred\ ?P\ cfs\ k\ k' \wedge$   
 $cfs ! k' = (size\ (acom\ a_1\ @\ acom\ a_2), s, aval\ a_2\ s\ \# \text{aval}\ a_1\ s\ \# \text{stk})$   
**using**  $D$  **by**  $(\text{fastforce}\ \text{simp:}\ \text{apred-def}\ \text{prod-eq-iff})$   
**ultimately show**  $?thesis$   
**by**  $(auto\ \text{intro:}\ mpred\ \text{merge})$   
**qed**

**lemma**  $bcomp\ \text{bcomp-m}$   $[simplified, \text{intro}]$ :  
**assumes**  $A: bcomp\ (b_1, f_1, i_1)\ @\ bcomp\ (b_2, f_2, i_2) \models cfs\ \square$   
 $(is\ bcomp\ ?x_1\ @\ bcomp\ ?x_2 \models -\square)$   
**assumes**  
 $B: \bigwedge cfs. bcomp\ ?x_1 \models cfs\ \square \implies mpred\ (bcomp\ ?x_1)\ cfs\ 0\ (length\ cfs - 1)$  **and**  
 $C: \bigwedge cfs. bcomp\ ?x_2 \models cfs\ \square \implies mpred\ (bcomp\ ?x_2)\ cfs\ 0\ (length\ cfs - 1)$  **and**  
 $D: size\ (bcomp\ ?x_2) \leq i_1$  **and**  
 $E: 0 \leq i_2$   
**shows**  $mpred\ (bcomp\ ?x_1\ @\ bcomp\ ?x_2)\ cfs\ 0\ (length\ cfs - 1)$   
 $(is\ mpred\ ?P\ -\ -\ -)$   
**proof**  $-$   
**have**  $\exists k < length\ cfs. \text{bpred}\ ?x_1\ (\text{off}\ []\ (cfs ! 0))\ (\text{off}\ []\ (cfs ! k)) \wedge$   
 $mpred\ ([]\ @\ ?P)\ cfs\ 0\ k$   
**using**  $A$  **and**  $B$  **and**  $D$  **by**  $(rule\ \text{tac}\ \text{execl-all-sub-m}, \text{insert}\ \text{execl-all-def}, \text{auto})$   
**then obtain**  $k\ s\ stk$  **where**  
 $cfs ! 0 = (0, s, stk) \wedge mpred\ ?P\ cfs\ 0\ k \wedge k < length\ cfs$  **and**  
 $F: cfs ! k = (size\ (bcomp\ ?x_1) + (\text{if}\ \text{bval}\ b_1\ s = f_1\ \text{then}\ i_1\ \text{else}\ 0), s, stk)$   
**using**  $A$  **by**  $(auto\ \text{simp:}\ \text{bpred-def}\ \text{execl-all-def})$   
**moreover from this have**  $\text{bval}\ b_1\ s \neq f_1 \implies \exists k' < length\ cfs.$   
 $\text{bpred}\ ?x_2\ (\text{off}\ (bcomp\ ?x_1)\ (cfs ! k))\ (\text{off}\ (bcomp\ ?x_1)\ (cfs ! k')) \wedge$   
 $mpred\ (bcomp\ ?x_1\ @\ bcomp\ ?x_2\ @\ [])\ cfs\ k\ k'$   
**using**  $A$  **and**  $C$  **and**  $E$  **by**  $(rule\ \text{tac}\ \text{execl-all-sub-m}, \text{insert}\ \text{execl-all-def}, \text{auto})$   
**then obtain**  $k'$  **where**  $\text{bval}\ b_1\ s \neq f_1 \implies k' < length\ cfs \wedge mpred\ ?P\ cfs\ k\ k' \wedge$   
 $\text{fst}\ (cfs ! k') = size\ ?P + (\text{if}\ \text{bval}\ b_2\ s = f_2\ \text{then}\ i_2\ \text{else}\ 0)$   
**using**  $F$  **by**  $(\text{fastforce}\ \text{simp:}\ \text{bpred-def})$   
**ultimately have**  $\exists k < length\ cfs. \text{fst}\ (cfs ! k) = (\text{if}\ \text{bval}\ b_1\ s = f_1\ \text{then}$   
 $size\ (bcomp\ ?x_1) + i_1\ \text{else}\ size\ ?P + (\text{if}\ \text{bval}\ b_2\ s = f_2\ \text{then}\ i_2\ \text{else}\ 0)) \wedge$   
 $mpred\ ?P\ cfs\ 0\ k$   
 $(is\ \exists k < -. \ ?Q\ k)$   
**by**  $(\text{fastforce}\ \text{intro:}\ mpred\ \text{merge})$   
**then obtain**  $k''$  **where**  $k'' < length\ cfs \wedge ?Q\ k'' ..$   
**with**  $A$  **and**  $D$  **and**  $E$  **show**  $?thesis$   
**by**  $(\text{insert}\ \text{execl-last}\ [\text{of}\ ?P\ cfs\ k''], \text{simp}\ \text{add:}\ \text{execl-all-def})$   
**qed**

**lemma** *acom-p-correct-m* [*simplified, intro*]:  
 $acom\ a \models cfs\ \square \implies mpred\ (acom\ a)\ cfs\ 0\ (length\ cfs - 1)$   
**proof** (*induction a arbitrary: cfs, (fastforce simp: mpred-def msp-def)+, simp, frule acom-acomp-m, auto*)  
**fix**  $a_1\ a_2\ cfs\ pc\ s\ stk\ k$   
**assume**  $A: acom\ a_1\ @\ acom\ a_2\ @\ [ADD] \models cfs\ \square$   
**(is ?P  $\models$   $\neg$ □)**  
**assume**  $cfs\ !\ 0 = (pc, s, stk)$  **and**  $mpred\ ?P\ cfs\ 0\ k$  **and**  
 **$B: k < length\ cfs$  and**  
 **$C: cfs\ !\ k = (size\ (acom\ a_1) + size\ (acom\ a_2), s,$**   
 **$aval\ a_2\ s\ \# \text{aval}\ a_1\ s\ \# \text{stk})$**   
**moreover from this have**  $mpred\ ?P\ cfs\ k\ (Suc\ k)$   
**by** (*simp add: mpred-def msp-def*)  
**moreover have**  $cfs\ !\ Suc\ k = (size\ ?P, s, aval\ (Plus\ a_1\ a_2)\ s\ \# \text{stk})$   
**using**  $A$  **and**  $B$  **and**  $C$  **by** (*insert execl-next [of ?P cfs k],*  
*simp add: execl-all-def, drule-tac impI, auto*)  
**ultimately show**  $mpred\ ?P\ cfs\ 0\ (length\ cfs - Suc\ 0)$   
**using**  $A$  **by** (*insert execl-last [of ?P cfs Suc k], simp add: execl-all-def,*  
*drule-tac impI, auto intro: mpred-merge*)  
**qed**

**lemma** *bcomp-correct-m* [*simplified, intro*]:  
 $\llbracket bcomp\ x \models cfs\ \square; 0 \leq snd\ (snd\ x) \rrbracket \implies mpred\ (bcomp\ x)\ cfs\ 0\ (length\ cfs - 1)$   
**proof** (*induction x arbitrary: cfs rule: bcomp.induct, force simp: mpred-def msp-def,*  
*(simp add: Let-def)+, fastforce, subst (asm) bcomp.simps, frule acom-acomp-m,*  
*auto simp del: bcomp.simps, subst bcomp.simps*)  
**fix**  $a_1\ a_2\ f\ i\ cfs\ pc\ s\ stk\ k$   
**assume**  $A: acom\ a_1\ @\ acom\ a_2\ @$   
**(if f then [JMPLESS i] else [JMPGE i])  $\models$   $cfs\ \square$**   
**(is ?P  $\models$   $\neg$ □)**  
**assume**  $cfs\ !\ 0 = (pc, s, stk)$  **and**  $mpred\ ?P\ cfs\ 0\ k$  **and**  
 **$B: k < length\ cfs$  and**  
 **$C: cfs\ !\ k = (size\ (acom\ a_1) + size\ (acom\ a_2), s,$**   
 **$aval\ a_2\ s\ \# \text{aval}\ a_1\ s\ \# \text{stk})$**   
**moreover from this have**  $mpred\ ?P\ cfs\ k\ (Suc\ k)$   
**by** (*simp add: mpred-def msp-def*)  
**moreover from this have**  $D: cfs\ !\ Suc\ k =$   
 **$(size\ ?P + (if\ bval\ (Less\ a_1\ a_2)\ s = f\ then\ i\ else\ 0), s, stk)$**   
**using**  $A$  **and**  $B$  **and**  $C$  **by** (*insert execl-next [of ?P cfs k],*  
*simp add: execl-all-def, drule-tac impI, auto*)  
**assume**  $0 \leq i$   
**with**  $A$  **and**  $B$  **and**  $C$  **and**  $D$  **have**  $length\ cfs - 1 = Suc\ k$   
**by** (*rule-tac execl-last, auto simp: execl-all-def, simp split: if-split-asm*)  
**ultimately show**  $mpred\ ?P\ cfs\ 0\ (length\ cfs - Suc\ 0)$   
**by** (*auto intro: mpred-merge*)  
**qed**

**lemma** *bcomp-ccomp-m*:

**assumes**  $A: \text{bcomp } (b, f, i) @ \text{ccomp } c @ P \models \text{cfs}\square$   
 (is  $\text{bcomp } ?x @ ?cc @ - \models -\square$ )  
**assumes**  
 $B: \bigwedge \text{cfs}. ?cc \models \text{cfs}\square \implies \text{mpred } ?cc \text{ cfs } 0 \text{ (length cfs - 1) and}$   
 $C: 0 \leq i$   
**shows**  $\text{case cfs ! } 0 \text{ of } (pc, s, stk) \implies \exists k < \text{length cfs}. \exists s'$   
 $\text{cfs ! } k = (\text{size } (\text{bcomp } ?x) + (\text{if bval } b \text{ s} = f \text{ then } i \text{ else } \text{size } ?cc), s', stk) \wedge$   
 $\text{mpred } (\text{bcomp } ?x @ ?cc @ P) \text{ cfs } 0 \text{ k}$   
**proof** –  
**let**  $?P = \text{bcomp } ?x @ ?cc @ P$   
**have**  $\exists k < \text{length cfs}. \text{bpred } ?x \text{ (off [] (cfs ! } 0)) \text{ (off [] (cfs ! } k)) \wedge$   
 $\text{mpred } ([] @ ?P) \text{ cfs } 0 \text{ k}$   
**using**  $A$  **and**  $C$  **by** (*rule-tac execl-all-sub-m, insert execl-all-def, auto*)  
**then obtain**  $s \text{ stk } k$  **where**  
 $\text{cfs ! } 0 = (0, s, stk) \wedge \text{mpred } ?P \text{ cfs } 0 \text{ k} \wedge k < \text{length cfs}$  **and**  
 $D: \text{cfs ! } k = (\text{size } (\text{bcomp } ?x) + (\text{if bval } b \text{ s} = f \text{ then } i \text{ else } 0), s, stk)$   
**using**  $A$  **by** (*auto simp: bpred-def execl-all-def*)  
**moreover from this have**  $\text{bval } b \text{ s} \neq f \implies \exists k' < \text{length cfs}. \text{cpred } c$   
 $(\text{off } (\text{bcomp } ?x) \text{ (cfs ! } k)) \text{ (off } (\text{bcomp } ?x) \text{ (cfs ! } k')) \wedge \text{mpred } ?P \text{ cfs } k \text{ k'}$   
**using**  $A$  **and**  $B$  **by** (*rule-tac execl-all-sub-m, insert execl-all-def, auto*)  
**then obtain**  $k' \text{ s'}$  **where**  $\text{bval } b \text{ s} \neq f \implies k' < \text{length cfs} \wedge \text{mpred } ?P \text{ cfs } k \text{ k'}$  **and**  
 $\text{cfs ! } k' = (\text{size } (\text{bcomp } ?x @ ?cc), s', stk)$   
**using**  $D$  **by** (*fastforce simp: cpred-def prod-eq-iff*)  
**ultimately show**  $?thesis$   
**by** (*auto intro: mpred-merge*)  
**qed**

**lemma** *ccomp-ccomp-m [simplified, intro]:*

**assumes**  
 $A: \text{ccomp } c_1 @ \text{ccomp } c_2 \models \text{cfs}\square$   
 (is  $?P \models -\square$ ) **and**  
 $B: \bigwedge \text{cfs}. \text{ccomp } c_1 \models \text{cfs}\square \implies \text{mpred } (\text{ccomp } c_1) \text{ cfs } 0 \text{ (length cfs - 1) and}$   
 $C: \bigwedge \text{cfs}. \text{ccomp } c_2 \models \text{cfs}\square \implies \text{mpred } (\text{ccomp } c_2) \text{ cfs } 0 \text{ (length cfs - 1)}$   
**shows**  $\text{mpred } ?P \text{ cfs } 0 \text{ (length cfs - 1)}$   
**proof** –  
**have**  $\exists k < \text{length cfs}. \text{cpred } c_1 \text{ (off [] (cfs ! } 0)) \text{ (off [] (cfs ! } k)) \wedge$   
 $\text{mpred } ([] @ ?P) \text{ cfs } 0 \text{ k}$   
**using**  $A$  **and**  $B$  **by** (*rule-tac execl-all-sub-m, insert execl-all-def, auto*)  
**then obtain**  $k \text{ s } s' \text{ stk}$  **where**  
 $\text{cfs ! } 0 = (0, s, stk) \wedge \text{mpred } ?P \text{ cfs } 0 \text{ k} \wedge k < \text{length cfs}$  **and**  
 $D: \text{cfs ! } k = (\text{size } (\text{ccomp } c_1), s', stk)$   
**using**  $A$  **by** (*auto simp: cpred-def execl-all-def*)  
**moreover from this have**  $\exists k' < \text{length cfs}. \text{cpred } c_2 \text{ (off } (\text{ccomp } c_1) \text{ (cfs ! } k))$   
 $(\text{off } (\text{ccomp } c_1) \text{ (cfs ! } k')) \wedge \text{mpred } (\text{ccomp } c_1 @ \text{ccomp } c_2 @ []) \text{ cfs } k \text{ k'}$   
**using**  $A$  **and**  $C$  **by** (*rule-tac execl-all-sub-m, insert execl-all-def, auto*)  
**then obtain**  $k'$  **where**  
 $\text{fst } (\text{cfs ! } k') = \text{size } ?P \wedge \text{mpred } ?P \text{ cfs } k \text{ k'} \wedge k' < \text{length cfs}$   
**using**  $D$  **by** (*fastforce simp: cpred-def*)  
**ultimately show**  $?thesis$

using  $A$  by (*insert execl-last [of ?P cfs k]*, *simp add: execl-all-def*,  
*auto intro: mpred-merge*)

qed

**lemma** *while-correct-m [simplified, simplified Let-def, intro]:*

$\llbracket \text{bcomp } (b, \text{False}, \text{size } (\text{ccomp } c) + 1) \text{ @ } \text{ccomp } c \text{ @}$   
 $\llbracket \text{JMP } (- \text{ (size } (\text{bcomp } (b, \text{False}, \text{size } (\text{ccomp } c) + 1) \text{ @ } \text{ccomp } c) + 1)) \rrbracket$   
 $\models \text{cfs} \square;$   
 $\wedge \text{cfs. ccomp } c \models \text{cfs} \square \implies \text{mpred } (\text{ccomp } c) \text{ cfs } 0 \text{ (length cfs - 1)} \rrbracket \implies$   
 $\text{mpred } (\text{ccomp } (\text{WHILE } b \text{ DO } c)) \text{ cfs } 0 \text{ (length cfs - Suc } 0)$   
*(is  $\llbracket ?cb \text{ @ } ?cc \text{ @ } - \models - \square; \wedge \cdot - \implies - \rrbracket \implies -$ )*

**proof** (*induction cfs rule: length-induct, frule bcomp-ccomp-m*,  
*auto simp: Let-def split: if-split-asm*)

fix  $\text{cfs } s \text{ stk } k$

assume  $?cb \text{ @ } ?cc \text{ @ } \llbracket \text{JMP } (- \text{ size } ?cb - \text{ size } ?cc - 1) \rrbracket \models \text{cfs} \square$   
*(is ?P  $\models - \square$ )*

moreover assume  $\text{mpred } ?P \text{ cfs } 0 \text{ k}$  and  $k < \text{length cfs}$  and  
 $\text{cfs ! } k = (\text{size } ?cb + (\text{size } ?cc + 1), s, \text{stk})$

ultimately show  $\text{mpred } ?P \text{ cfs } 0 \text{ (length cfs - Suc } 0)$

by (*insert execl-last [of ?P cfs k]*, *simp add: execl-all-def*)

next

fix  $\text{cfs } pc \text{ s } s' \text{ stk } k$

assume  $A: ?cb \text{ @ } ?cc \text{ @ } \llbracket \text{JMP } (- \text{ size } ?cb - \text{ size } ?cc - 1) \rrbracket \models \text{cfs} \square$   
*(is ?P  $\models - \square$ )*

assume  $B: k < \text{length cfs}$  and  $C: \text{cfs ! } k = (\text{size } ?cb + \text{size } ?cc, s', \text{stk})$

moreover from *this* have  $D: k \neq \text{length cfs} - 1$

using  $A$  by (*rule-tac notI*, *simp add: execl-all-def*)

ultimately have  $E: \text{cfs ! } \text{Suc } k = (0, s', \text{stk})$

using  $A$  by (*insert execl-next [of ?P cfs k]*, *auto simp: execl-all-def*)

moreover have  $F: \text{Suc } k + (\text{length } (\text{drop } (\text{Suc } k) \text{ cfs}) - 1) = \text{length cfs} - 1$   
*(is  $- + (\text{length } ?cfs - -) = -$ )*

using  $B$  and  $D$  by *simp*

ultimately have  $?P \models ?cfs \square$

using  $A$  and  $B$  and  $D$  by (*auto simp: execl-all-def intro: execl-drop*)

moreover assume  $\forall \text{cfs}'. \text{length cfs}' < \text{length cfs} \longrightarrow ?P \models \text{cfs}' \square \longrightarrow$   
 $\text{mpred } ?P \text{ cfs}' 0 \text{ (length cfs}' - \text{Suc } 0)$

ultimately have  $\text{mpred } ?P ?cfs 0 \text{ (length } ?cfs - 1)$

using  $B$  by *force*

moreover assume  $G: \text{cfs ! } 0 = (pc, s, \text{stk})$

ultimately have  $\text{mpred } ?P \text{ cfs } (\text{Suc } k + 0) \text{ (Suc } k + (\text{length } ?cfs - 1))$

using  $B$  and  $E$  by (*rule-tac mpred-drop, simp-all*)

hence  $\text{mpred } ?P \text{ cfs } (\text{Suc } k) \text{ (length cfs - 1)}$

by (*subst (asm) F, simp*)

moreover assume  $\text{mpred } ?P \text{ cfs } 0 \text{ k}$

moreover have  $\text{mpred } ?P \text{ cfs } k \text{ (Suc } k)$

using  $C$  and  $G$  by (*simp add: mpred-def msp-def*)

ultimately show  $\text{mpred } ?P \text{ cfs } 0 \text{ (length cfs - Suc } 0)$

by (*auto intro: mpred-merge*)

qed

**lemma** *ccomp-correct-m*:  
 $ccomp\ c \models cfs\ \square \implies mpred\ (ccomp\ c)\ cfs\ 0\ (length\ cfs - 1)$

**proof** (*induction*  $c$  arbitrary:  $cfs$ , (*fastforce* *simp*:  $mpred\text{-def}$ )+,  
*simp-all* add: *Let-def*, *frule-tac* [ $\exists$ ] *bcomp-ccomp-m*, *auto* *split*: *if-split-asm*)

**fix**  $a\ x\ cfs$   
**assume**  $A$ :  $acomp\ a\ @\ [STORE\ x] \models cfs\ \square$   
(is  $?P \models -\square$ )  
**hence**  $\exists k < length\ cfs$ .  $apred\ a\ (off\ []\ (cfs!\ 0))\ (off\ []\ (cfs!\ k)) \wedge$   
 $mpred\ ([]\ @\ ?P)\ cfs\ 0\ k$   
**by** (*rule-tac* *execl-all-sub-m*, *insert execl-all-def*, *auto*)  
**then obtain**  $k\ s\ stk$  **where**  $cfs!\ 0 = (0, s, stk) \wedge mpred\ ?P\ cfs\ 0\ k$  **and**  
 $B$ :  $k < length\ cfs \wedge cfs!\ k = (size\ (acomp\ a), s, aval\ a\ s\ \#)\ stk$   
**using**  $A$  **by** (*auto* *simp*: *apred-def execl-all-def*)  
**moreover from** *this* **have**  $mpred\ ?P\ cfs\ k\ (Suc\ k)$   
**by** (*simp* add:  $mpred\text{-def}\ msp\text{-def}$ )  
**moreover have**  $cfs!\ Suc\ k = (size\ (acomp\ a) + 1, s(x := aval\ a\ s), stk)$   
**using**  $A$  **and**  $B$  **by** (*insert execl-next* [*of*  $acomp\ a\ @\ [STORE\ x]\ cfs\ k$ ],  
*simp* add: *execl-all-def*, *drule-tac* *impI*, *auto*)  
**ultimately show**  $mpred\ ?P\ cfs\ 0\ (length\ cfs - Suc\ 0)$   
**using**  $A$  **by** (*insert execl-last* [*of*  $?P\ cfs\ Suc\ k$ ], *simp* add: *execl-all-def*,  
*drule-tac* *impI*, *auto* *intro*:  $mpred\text{-merge}$ )

**next**  
**fix**  $b\ c_1\ c_2\ cfs\ pc\ s\ s'\ stk\ k$   
**assume**  $A$ :  $bcomp\ (b, False, size\ (ccomp\ c_1) + 1)\ @\ ccomp\ c_1\ @$   
 $JMP\ (size\ (ccomp\ c_2))\ \#\ ccomp\ c_2 \models cfs\ \square$   
(is  $?cb\ @\ ?cc_1\ @\ ?i\ \#\ ?cc_2 \models -\square$ )  
**let**  $?P = ?cb\ @\ ?cc_1\ @\ [?i]$   
**assume**  $B$ :  $cfs!\ k = (size\ ?cb + (size\ ?cc_1 + 1), s', stk)$   
**assume**  $cfs!\ 0 = (pc, s, stk)$  **and**  $k < length\ cfs$  **and**  
 $\wedge cfs.\ ?cc_2 \models cfs\ \square \implies mpred\ ?cc_2\ cfs\ 0\ (length\ cfs - Suc\ 0)$   
**hence**  $\exists k' < length\ cfs$ .  $cpred\ c_2\ (off\ ?P\ (cfs!\ k))\ (off\ ?P\ (cfs!\ k')) \wedge$   
 $mpred\ (?P\ @\ ?cc_2\ @\ [])\ cfs\ k\ k'$   
**using**  $A$  **and**  $B$  **by** (*rule-tac* *execl-all-sub-m*, *insert execl-all-def*, *auto*)  
**then obtain**  $k'$  **where**  $fst\ (cfs!\ k') = size\ (?P\ @\ ?cc_2) \wedge$   
 $mpred\ (?P\ @\ ?cc_2)\ cfs\ k\ k' \wedge k' < length\ cfs$   
**using**  $B$  **by** (*fastforce* *simp*: *cpred-def*)  
**moreover assume**  $mpred\ (?cb\ @\ ?cc_1\ @\ ?i\ \#\ ?cc_2)\ cfs\ 0\ k$   
**ultimately show**  $mpred\ (?cb\ @\ ?cc_1\ @\ ?i\ \#\ ?cc_2)\ cfs\ 0\ (length\ cfs - Suc\ 0)$   
**using**  $A$  **by** (*insert execl-last* [*of*  $?P\ @\ ?cc_2\ cfs\ k'$ ], *simp* add: *execl-all-def*,  
*auto* *intro*:  $mpred\text{-merge}$ )

**next**  
**fix**  $b\ c_1\ c_2\ cfs\ pc\ s\ s'\ stk\ k$   
**assume**  $A$ :  $bcomp\ (b, False, size\ (ccomp\ c_1) + 1)\ @\ ccomp\ c_1\ @$   
 $JMP\ (size\ (ccomp\ c_2))\ \#\ ccomp\ c_2 \models cfs\ \square$   
(is  $?cb\ @\ ?cc_1\ @\ ?i\ \#\ ?cc_2 \models -\square$ )  
**let**  $?P = ?cb\ @\ ?cc_1\ @\ [?i]$   
**assume**  $B$ :  $k < length\ cfs$  **and**  $C$ :  $cfs!\ k = (size\ ?cb + size\ ?cc_1, s', stk)$   
**hence**  $cfs!\ Suc\ k = (size\ ?P, s', stk)$

**using**  $A$  **by** (*insert execl-next* [of  $?P$   $cfs$   $k$ ], *simp add: execl-all-def*,  
*drule-tac impI*, *auto*)  
**moreover assume**  $cfs ! 0 = (pc, s, stk)$   
**hence**  $mpred ?P cfs k (Suc k)$   
**using**  $C$  **by** (*simp add: mpred-def msp-def*)  
**moreover assume**  $mpred ?P cfs 0 k$   
**ultimately show**  $mpred ?P cfs 0 (length cfs - Suc 0)$   
**using**  $A$  **and**  $B$  **by** (*insert execl-last* [of  $?P$   $cfs$   $Suc k$ ], *simp add: execl-all-def*,  
*drule-tac impI*, *auto intro: mpred-merge*)  
**qed**

Here below are the proofs of theorems *m-ccomp-bigstep* and *m-ccomp-exec*, which establish that machine programs simulate source ones and vice versa. The former theorem is inferred from theorem *ccomp-bigstep* and lemmas *mpred-execl-m-exec*, *ccomp-correct-m*, the latter one from lemma *m-exec-exec* and theorem *ccomp-exec*, in turn derived from lemma *ccomp-correct*.

**lemma** *exec-execl* [*dest!*]:  
 $P \vdash cf \rightarrow^* cf' \implies \exists cfs. P \models cfs \wedge cfs \neq [] \wedge hd cfs = cf \wedge last cfs = cf'$   
**by** (*erule star.induct*, *force*, *erule exE*, *rule list.exhaust*, *blast*,  
*simp del: last.simps*, *rule exI*, *subst execl.simps(1)*, *simp*)

**theorem** *m-ccomp-bigstep*:  
 $(c, s) \Rightarrow s' \implies$   
 $m-ccomp c \vdash (0, m-state c s, 0) \rightarrow^* (size (m-ccomp c), m-state c s', 0)$   
**by** (*drule ccomp-bigstep* [**where**  $stk = []$ ], *drule exec-execl*, *clarify*,  
*frule mpred-execl-m-exec*, *simp*, *rule ccomp-correct-m*, *simp-all add:*  
*hd-conv-nth last-conv-nth execl-all-def*)

**theorem** *ccomp-exec*:  
 $ccomp c \vdash (0, s, stk) \rightarrow^* (size (ccomp c), s', stk^\wedge) \implies (c, s) \Rightarrow s' \wedge stk' = stk$   
**by** (*insert ccomp-correct*, *force simp: hd-conv-nth last-conv-nth execl-all-def cpred-def*)

**theorem** *m-ccomp-exec*:  
 $m-ccomp c \vdash (0, ms, 0) \rightarrow^* (size (m-ccomp c), ms', sp) \implies$   
 $(c, state c ms) \Rightarrow state c ms' \wedge sp = 0$   
**by** (*drule m-exec-exec* [**where**  $stk = []$ ], *simp*, *drule ccomp-exec*,  
*cases 0 < sp*, *simp-all*, *drule add-stack-nnil*, *blast*)

**end**

## References

- [1] A. Krauss. *Defining Recursive Functions in Isabelle/HOL*.  
<https://isabelle.in.tum.de/website-Isabelle2021-1/dist/Isabelle2021-1/>

[doc/functions.pdf](#).

- [2] T. Nipkow. *A Tutorial Introduction to Structured Isar Proofs*. <https://isabelle.in.tum.de/website-Isabelle2011/dist/Isabelle2011/doc/isar-overview.pdf>.
- [3] T. Nipkow. *Programming and Proving in Isabelle/HOL*, Dec. 2021. <https://isabelle.in.tum.de/website-Isabelle2021-1/dist/Isabelle2021-1/doc/prog-prove.pdf>.
- [4] T. Nipkow and G. Klein. Theory HOL-IMP.Compiler (included in the Isabelle2021-1 distribution). <https://isabelle.in.tum.de/website-Isabelle2021-1/dist/library/HOL/HOL-IMP/Compiler.html>.
- [5] T. Nipkow and G. Klein. *Concrete Semantics with Isabelle/HOL*. Springer-Verlag, Mar. 2021. (Current version: <http://www.concrete-semantics.org/concrete-semantics.pdf>).
- [6] T. Nipkow, L. C. Paulson, and M. Wenzel. *Isabelle/HOL – A Proof Assistant for Higher-Order Logic*, Dec. 2021. <https://isabelle.in.tum.de/website-Isabelle2021-1/dist/Isabelle2021-1/doc/tutorial.pdf>.
- [7] P. Noce. A Shorter Compiler Correctness Proof for Language IMP. *Archive of Formal Proofs*, June 2021. [https://isa-afp.org/entries/IMP\\_Compiler.html](https://isa-afp.org/entries/IMP_Compiler.html), Formal proof development.