

# Mereology

Ben Blumson

February 6, 2026

## Abstract

We use Isabelle/HOL to verify elementary theorems and alternative axiomatizations of classical extensional mereology.

## Contents

<b>1</b>	<b>Introduction</b>	<b>2</b>
<b>2</b>	<b>Premereology</b>	<b>2</b>
2.1	Parthood . . . . .	3
2.2	Overlap . . . . .	3
2.3	Disjointness . . . . .	3
<b>3</b>	<b>Ground Mereology</b>	<b>3</b>
3.1	Proper Parthood . . . . .	4
<b>4</b>	<b>Minimal Mereology</b>	<b>6</b>
<b>5</b>	<b>Extensional Mereology</b>	<b>7</b>
<b>6</b>	<b>Closed Mereology</b>	<b>9</b>
6.1	Products . . . . .	9
6.2	Differences . . . . .	10
6.3	The Universe . . . . .	11
6.4	Complements . . . . .	12
<b>7</b>	<b>Closed Extensional Mereology</b>	<b>13</b>
7.1	Sums . . . . .	14
7.2	Distributivity . . . . .	15
7.3	Differences . . . . .	17
7.4	The Universe . . . . .	17
7.5	Complements . . . . .	17
<b>8</b>	<b>General Mereology</b>	<b>19</b>
<b>9</b>	<b>General Minimal Mereology</b>	<b>19</b>

<b>10 General Extensional Mereology</b>	<b>20</b>
10.1 General Sums . . . . .	20
10.2 General Products . . . . .	22
10.3 Strong Fusion . . . . .	22
10.4 Strong Sums . . . . .	24

## 1 Introduction

In this paper, we use Isabelle/HOL to verify some elementary theorems and alternative axiomatizations of classical extensional mereology, as well as some of its weaker subtheories.<sup>1</sup> We mostly follow the presentations from [Simons, 1987], [Varzi, 1996] and [Casati and Varzi, 1999], with some important corrections from [Pontow, 2004] and [Hovda, 2009] as well as some detailed proofs adapted from [Pietruszczak, 2018].<sup>2</sup>

We will use the following notation throughout.<sup>3</sup>

```

typedecl i
consts part :: i ⇒ i ⇒ bool (⟨P⟩)
consts overlap :: i ⇒ i ⇒ bool (⟨O⟩)
consts proper-part :: i ⇒ i ⇒ bool (⟨PP⟩)
consts sum :: i ⇒ i ⇒ i (infix ⟨ $\oplus$ ⟩ 52)
consts product :: i ⇒ i ⇒ i (infix ⟨ $\otimes$ ⟩ 53)
consts difference :: i ⇒ i ⇒ i (infix ⟨ $\ominus$ ⟩ 51)
consts complement:: i ⇒ i (⟨ $\neg$ ⟩)
consts universe :: i (⟨u⟩)
consts general-sum :: (i ⇒ bool) ⇒ i (binder ⟨ $\sigma$ ⟩ 9)
consts general-product :: (i ⇒ bool) ⇒ i (binder ⟨ $\pi$ ⟩ [8] 9)

```

## 2 Premereology

The theory of *premereology* assumes parthood is reflexive and transitive.<sup>4</sup> In other words, parthood is assumed to be a partial ordering relation.<sup>5</sup> Overlap is defined as common parthood.<sup>6</sup>

```

locale PM =
  assumes part-reflexivity: P x x
  assumes part-transitivity : P x y ⇒ P y z ⇒ P x z

```

<sup>1</sup>For similar developments see [Sen, 2017] and [Bittner, 2018].

<sup>2</sup>For help with this project I am grateful to Zach Barnett, Sam Baron, Bob Beddor, Olivier Danvy, Mark Goh, Jeremiah Joven Joaquin, Wang-Yen Lee, Kee Wei Loo, Bruno Woltzenlogel Paleo, Michael Pelczar, Hsueh Qu, Abelard Podgorski, Divyanshu Sharma, Manikaran Singh, Neil Sinhababu, Weng-Hong Tang and Zhang Jiang.

<sup>3</sup>See [Simons, 1987] pp. 99-100 for a helpful comparison of alternative notations.

<sup>4</sup>For discussion of reflexivity see [Kearns, 2011]. For transitivity see [Varzi, 2006].

<sup>5</sup>Hence the name *premereology*, from [Parsons, 2014] p. 6.

<sup>6</sup>See [Simons, 1987] p. 28, [Varzi, 1996] p. 261 and [Casati and Varzi, 1999] p. 36.

**assumes** *overlap-eq*:  $O\ x\ y \longleftrightarrow (\exists\ z.\ P\ z\ x \wedge P\ z\ y)$   
**begin**

## 2.1 Parthood

**lemma** *identity-implies-part* :  $x = y \Longrightarrow P\ x\ y$   
*<proof>*

## 2.2 Overlap

**lemma** *overlap-intro*:  $P\ z\ x \Longrightarrow P\ z\ y \Longrightarrow O\ x\ y$   
*<proof>*

**lemma** *part-implies-overlap*:  $P\ x\ y \Longrightarrow O\ x\ y$   
*<proof>*

**lemma** *overlap-reflexivity*:  $O\ x\ x$   
*<proof>*

**lemma** *overlap-symmetry*:  $O\ x\ y \Longrightarrow O\ y\ x$   
*<proof>*

**lemma** *overlap-monotonicity*:  $P\ x\ y \Longrightarrow O\ z\ x \Longrightarrow O\ z\ y$   
*<proof>*

The next lemma is from [Hovda, 2009] p. 66.

**lemma** *overlap-lemma*:  $\exists\ x.\ (P\ x\ y \wedge O\ z\ x) \longrightarrow O\ y\ z$   
*<proof>*

## 2.3 Disjointness

**lemma** *disjoint-implies-distinct*:  $\neg\ O\ x\ y \Longrightarrow x \neq y$   
*<proof>*

**lemma** *disjoint-implies-not-part*:  $\neg\ O\ x\ y \Longrightarrow \neg\ P\ x\ y$   
*<proof>*

**lemma** *disjoint-symmetry*:  $\neg\ O\ x\ y \Longrightarrow \neg\ O\ y\ x$   
*<proof>*

**lemma** *disjoint-demonotonicity*:  $P\ x\ y \Longrightarrow \neg\ O\ z\ y \Longrightarrow \neg\ O\ z\ x$   
*<proof>*

**end**

### 3 Ground Mereology

The theory of *ground mereology* adds to premereology the anti-symmetry of parthood, and defines proper parthood as nonidentical parthood.<sup>7</sup> In other words, ground mereology assumes that parthood is a partial order.

**locale**  $M = PM +$   
  **assumes** *part-antisymmetry*:  $P x y \implies P y x \implies x = y$   
  **assumes** *nip-eq*:  $PP x y \longleftrightarrow P x y \wedge x \neq y$   
**begin**

#### 3.1 Proper Parthood

**lemma** *proper-implies-part*:  $PP x y \implies P x y$   
*<proof>*

**lemma** *proper-implies-distinct*:  $PP x y \implies x \neq y$   
*<proof>*

**lemma** *proper-implies-not-part*:  $PP x y \implies \neg P y x$   
*<proof>*

**lemma** *proper-part-asymmetry*:  $PP x y \implies \neg PP y x$   
*<proof>*

**lemma** *proper-implies-overlap*:  $PP x y \implies O x y$   
*<proof>*

**end**

The rest of this section compares four alternative axiomatizations of ground mereology, and verifies their equivalence.

The first alternative axiomatization defines proper parthood as nonmutual instead of nonidentical parthood.<sup>8</sup> In the presence of antisymmetry, the two definitions of proper parthood are equivalent.<sup>9</sup>

**locale**  $M1 = PM +$   
  **assumes** *nmp-eq*:  $PP x y \longleftrightarrow P x y \wedge \neg P y x$   
  **assumes** *part-antisymmetry*:  $P x y \implies P y x \implies x = y$

---

<sup>7</sup>For this axiomatization of ground mereology see, for example, [Varzi, 1996] p. 261 and [Casati and Varzi, 1999] p. 36. For discussion of the antisymmetry of parthood see, for example, [Cotnoir, 2010]. For the definition of proper parthood as nonidentical parthood, see for example, [Leonard and Goodman, 1940] p. 47.

<sup>8</sup>See, for example, [Varzi, 1996] p. 261 and [Casati and Varzi, 1999] p. 36. For the distinction between nonmutual and nonidentical parthood, see [Parsons, 2014] pp. 6-8.

<sup>9</sup>See [Cotnoir, 2010] p. 398, [Donnelly, 2011] p. 233, [Cotnoir and Bacon, 2012] p. 191, [Obojska, 2013] p. 344, [Cotnoir, 2016] p. 128 and [Cotnoir, 2018].

**sublocale**  $M \subseteq M1$

*<proof>*

**sublocale**  $M1 \subseteq M$

*<proof>*

Conversely, assuming the two definitions of proper parthood are equivalent entails the antisymmetry of parthood, leading to the second alternative axiomatization, which assumes both equivalencies.<sup>10</sup>

**locale**  $M2 = PM +$

**assumes** *nip-eq*:  $PP\ x\ y \longleftrightarrow P\ x\ y \wedge x \neq y$

**assumes** *nmp-eq*:  $PP\ x\ y \longleftrightarrow P\ x\ y \wedge \neg P\ y\ x$

**sublocale**  $M \subseteq M2$

*<proof>*

**sublocale**  $M2 \subseteq M$

*<proof>*

In the context of the other axioms, antisymmetry is equivalent to the extensionality of parthood, which gives the third alternative axiomatization.<sup>11</sup>

**locale**  $M3 = PM +$

**assumes** *nip-eq*:  $PP\ x\ y \longleftrightarrow P\ x\ y \wedge x \neq y$

**assumes** *part-extensionality*:  $x = y \longleftrightarrow (\forall z. P\ z\ x \longleftrightarrow P\ z\ y)$

**sublocale**  $M \subseteq M3$

*<proof>*

**sublocale**  $M3 \subseteq M$

*<proof>*

The fourth axiomatization adopts proper parthood as primitive.<sup>12</sup> Improper parthood is defined as proper parthood or identity.

**locale**  $M4 =$

**assumes** *part-eq*:  $P\ x\ y \longleftrightarrow PP\ x\ y \vee x = y$

**assumes** *overlap-eq*:  $O\ x\ y \longleftrightarrow (\exists z. P\ z\ x \wedge P\ z\ y)$

**assumes** *proper-part-asymmetry*:  $PP\ x\ y \implies \neg PP\ y\ x$

**assumes** *proper-part-transitivity*:  $PP\ x\ y \implies PP\ y\ z \implies PP\ x\ z$

**begin**

---

<sup>10</sup>For this point see especially [Parsons, 2014] pp. 9-10.

<sup>11</sup>For this point see [Cotnoir, 2010] p. 401 and [Cotnoir and Bacon, 2012] p. 191-2.

<sup>12</sup>See, for example, [Simons, 1987], p. 26 and [Casati and Varzi, 1999] p. 37.

**lemma** *proper-part-irreflexivity*:  $\neg PP\ x\ x$   
*<proof>*

**end**

**sublocale**  $M \subseteq M4$   
*<proof>*

**sublocale**  $M4 \subseteq M$   
*<proof>*

## 4 Minimal Mereology

Minimal mereology adds to ground mereology the axiom of weak supplementation.<sup>13</sup>

**locale**  $MM = M +$   
**assumes** *weak-supplementation*:  $PP\ y\ x \implies (\exists z. P\ z\ x \wedge \neg O\ z\ y)$

The rest of this section considers three alternative axiomatizations of minimal mereology. The first alternative axiomatization replaces improper with proper parthood in the consequent of weak supplementation.<sup>14</sup>

**locale**  $MM1 = M +$   
**assumes** *proper-weak-supplementation*:  
 $PP\ y\ x \implies (\exists z. PP\ z\ x \wedge \neg O\ z\ y)$

**sublocale**  $MM \subseteq MM1$   
*<proof>*

**sublocale**  $MM1 \subseteq MM$   
*<proof>*

The following two corollaries are sometimes found in the literature.<sup>15</sup>

**context**  $MM$   
**begin**

**corollary** *weak-company*:  $PP\ y\ x \implies (\exists z. PP\ z\ x \wedge z \neq y)$   
*<proof>*

---

<sup>13</sup>See [Varzi, 1996] and [Casati and Varzi, 1999] p. 39. The name *minimal mereology* reflects the, controversial, idea that weak supplementation is analytic. See, for example, [Simons, 1987] p. 116, [Varzi, 2008] p. 110-1, and [Cotnoir, 2018]. For general discussion of weak supplementation see, for example [Smith, 2009] pp. 507 and [Donnelly, 2011].

<sup>14</sup>See [Simons, 1987] p. 28.

<sup>15</sup>See [Simons, 1987] p. 27. For the names *weak company* and *strong company* see [Cotnoir and Bacon, 2012] p. 192-3 and [Varzi, 2016].

**corollary** *strong-companly*:  $PP\ y\ x \implies (\exists\ z.\ PP\ z\ x \wedge \neg\ P\ z\ y)$   
 ⟨*proof*⟩

**end**

If weak supplementation is formulated in terms of nonidentical parthood, then the antisymmetry of parthood is redundant, and we have the second alternative axiomatization of minimal mereology.<sup>16</sup>

**locale**  $MM2 = PM +$   
**assumes** *nip-eq*:  $PP\ x\ y \longleftrightarrow P\ x\ y \wedge x \neq y$   
**assumes** *weak-supplementation*:  $PP\ y\ x \implies (\exists\ z.\ P\ z\ x \wedge \neg\ O\ z\ y)$

**sublocale**  $MM2 \subseteq MM$   
 ⟨*proof*⟩

**sublocale**  $MM \subseteq MM2$   
 ⟨*proof*⟩

Likewise, if proper parthood is adopted as primitive, then the asymmetry of proper parthood is redundant in the context of weak supplementation, leading to the third alternative axiomatization.<sup>17</sup>

**locale**  $MM3 =$   
**assumes** *part-eq*:  $P\ x\ y \longleftrightarrow PP\ x\ y \vee x = y$   
**assumes** *overlap-eq*:  $O\ x\ y \longleftrightarrow (\exists\ z.\ P\ z\ x \wedge P\ z\ y)$   
**assumes** *proper-part-transitivity*:  $PP\ x\ y \implies PP\ y\ z \implies PP\ x\ z$   
**assumes** *weak-supplementation*:  $PP\ y\ x \implies (\exists\ z.\ P\ z\ x \wedge \neg\ O\ z\ y)$   
**begin**

**lemma** *part-reflexivity*:  $P\ x\ x$   
 ⟨*proof*⟩

**lemma** *proper-part-irreflexivity*:  $\neg\ PP\ x\ x$   
 ⟨*proof*⟩

**end**

**sublocale**  $MM3 \subseteq M4$   
 ⟨*proof*⟩

**sublocale**  $MM3 \subseteq MM$   
 ⟨*proof*⟩

**sublocale**  $MM \subseteq MM3$

---

<sup>16</sup>See [Cotnoir, 2010] p. 399, [Donnelly, 2011] p. 232, [Cotnoir and Bacon, 2012] p. 193 and [Obojska, 2013] pp. 235-6.

<sup>17</sup>See [Donnelly, 2011] p. 232 and [Cotnoir, 2018].

*<proof>*

## 5 Extensional Mereology

Extensional mereology adds to ground mereology the axiom of strong supplementation.<sup>18</sup>

**locale**  $EM = M +$

**assumes** *strong-supplementation*:

$$\neg P x y \implies (\exists z. P z x \wedge \neg O z y)$$

**begin**

Strong supplementation entails weak supplementation.<sup>19</sup>

**lemma** *weak-supplementation*:  $PP x y \implies (\exists z. P z y \wedge \neg O z x)$

*<proof>*

**end**

So minimal mereology is a subtheory of extensional mereology.<sup>20</sup>

**sublocale**  $EM \subseteq MM$

*<proof>*

Strong supplementation also entails the proper parts principle.<sup>21</sup>

**context**  $EM$

**begin**

**lemma** *proper-parts-principle*:

$$(\exists z. PP z x) \implies (\forall z. PP z x \longrightarrow P z y) \implies P x y$$

*<proof>*

Which with antisymmetry entails the extensionality of parthood.<sup>22</sup>

**theorem** *proper-part-extensionality*:

$$(\exists z. PP z x \vee PP z y) \implies x = y \iff (\forall z. PP z x \iff PP z y)$$

*<proof>*

It also follows from strong supplementation that parthood is definable in terms of overlap.<sup>23</sup>

**lemma** *part-overlap-eq*:  $P x y \iff (\forall z. O z x \longrightarrow O z y)$

*<proof>*

Which entails the extensionality of overlap.

---

<sup>18</sup>See [Simons, 1987] p. 29, [Varzi, 1996] p. 262 and [Casati and Varzi, 1999] p. 39-40.

<sup>19</sup>See [Simons, 1987] p. 29 and [Casati and Varzi, 1999] p. 40.

<sup>20</sup>[Casati and Varzi, 1999] p. 40.

<sup>21</sup>See [Simons, 1987] pp. 28-9 and [Varzi, 1996] p. 263.

<sup>22</sup>See [Simons, 1987] p. 28, [Varzi, 1996] p. 263 and [Casati and Varzi, 1999] p. 40.

<sup>23</sup>See [Parsons, 2014] p. 4.

**theorem** *overlap-extensionality*:  $x = y \longleftrightarrow (\forall z. O z x \longleftrightarrow O z y)$   
 ⟨proof⟩

**end**

## 6 Closed Mereology

The theory of *closed mereology* adds to ground mereology conditions guaranteeing the existence of sums and products.<sup>24</sup>

**locale**  $CM = M +$

**assumes** *sum-eq*:  $x \oplus y = (THE z. \forall v. O v z \longleftrightarrow O v x \vee O v y)$

**assumes** *sum-closure*:  $\exists z. \forall v. O v z \longleftrightarrow O v x \vee O v y$

**assumes** *product-eq*:

$x \otimes y = (THE z. \forall v. P v z \longleftrightarrow P v x \wedge P v y)$

**assumes** *product-closure*:

$O x y \implies \exists z. \forall v. P v z \longleftrightarrow P v x \wedge P v y$

**begin**

### 6.1 Products

**lemma** *product-intro*:

$(\forall w. P w z \longleftrightarrow (P w x \wedge P w y)) \implies x \otimes y = z$

⟨proof⟩

**lemma** *product-idempotence*:  $x \otimes x = x$

⟨proof⟩

**lemma** *product-character*:

$O x y \implies (\forall w. P w (x \otimes y) \longleftrightarrow (P w x \wedge P w y))$

⟨proof⟩

**lemma** *product-commutativity*:  $O x y \implies x \otimes y = y \otimes x$

⟨proof⟩

**lemma** *product-in-factors*:  $O x y \implies P (x \otimes y) x \wedge P (x \otimes y) y$

⟨proof⟩

**lemma** *product-in-first-factor*:  $O x y \implies P (x \otimes y) x$

⟨proof⟩

**lemma** *product-in-second-factor*:  $O x y \implies P (x \otimes y) y$

⟨proof⟩

**lemma** *nonpart-implies-proper-product*:

---

<sup>24</sup>See [Masolo and Vieu, 1999] p. 238. [Varzi, 1996] p. 263 and [Casati and Varzi, 1999] p. 43 give a slightly weaker version of the sum closure axiom, which is equivalent given axioms considered later.

$\neg P x y \wedge O x y \implies PP (x \otimes y) x$   
 $\langle \text{proof} \rangle$

**lemma** *common-part-in-product*:  $P z x \wedge P z y \implies P z (x \otimes y)$   
 $\langle \text{proof} \rangle$

**lemma** *product-part-in-factors*:  
 $O x y \implies P z (x \otimes y) \implies P z x \wedge P z y$   
 $\langle \text{proof} \rangle$

**corollary** *product-part-in-first-factor*:  
 $O x y \implies P z (x \otimes y) \implies P z x$   
 $\langle \text{proof} \rangle$

**corollary** *product-part-in-second-factor*:  
 $O x y \implies P z (x \otimes y) \implies P z y$   
 $\langle \text{proof} \rangle$

**lemma** *part-product-identity*:  $P x y \implies x \otimes y = x$   
 $\langle \text{proof} \rangle$

**lemma** *product-overlap*:  $P z x \implies O z y \implies O z (x \otimes y)$   
 $\langle \text{proof} \rangle$

**lemma** *disjoint-from-second-factor*:  
 $P x y \wedge \neg O x (y \otimes z) \implies \neg O x z$   
 $\langle \text{proof} \rangle$

**lemma** *converse-product-overlap*:  
 $O x y \implies O z (x \otimes y) \implies O z y$   
 $\langle \text{proof} \rangle$

**lemma** *part-product-in-whole-product*:  
 $O x y \implies P x v \wedge P y z \implies P (x \otimes y) (v \otimes z)$   
 $\langle \text{proof} \rangle$

**lemma** *right-associated-product*:  $(\exists w. P w x \wedge P w y \wedge P w z) \implies$   
 $(\forall w. P w (x \otimes (y \otimes z)) \longleftrightarrow P w x \wedge (P w y \wedge P w z))$   
 $\langle \text{proof} \rangle$

**lemma** *left-associated-product*:  $(\exists w. P w x \wedge P w y \wedge P w z) \implies$   
 $(\forall w. P w ((x \otimes y) \otimes z) \longleftrightarrow (P w x \wedge P w y) \wedge P w z)$   
 $\langle \text{proof} \rangle$

**theorem** *product-associativity*:  
 $(\exists w. P w x \wedge P w y \wedge P w z) \implies x \otimes (y \otimes z) = (x \otimes y) \otimes z$   
 $\langle \text{proof} \rangle$

**end**

## 6.2 Differences

Some writers also add to closed mereology the axiom of difference closure.<sup>25</sup>

**locale**  $CMD = CM +$

**assumes** *difference-eq*:

$$x \ominus y = (\text{THE } z. \forall w. P w z \longleftrightarrow P w x \wedge \neg O w y)$$

**assumes** *difference-closure*:

$$(\exists w. P w x \wedge \neg O w y) \Longrightarrow (\exists z. \forall w. P w z \longleftrightarrow P w x \wedge \neg O w y)$$

**begin**

**lemma** *difference-intro*:

$$(\forall w. P w z \longleftrightarrow P w x \wedge \neg O w y) \Longrightarrow x \ominus y = z$$

*<proof>*

**lemma** *difference-idempotence*:  $\neg O x y \Longrightarrow (x \ominus y) = x$

*<proof>*

**lemma** *difference-character*:  $(\exists w. P w x \wedge \neg O w y) \Longrightarrow$

$$(\forall w. P w (x \ominus y) \longleftrightarrow P w x \wedge \neg O w y)$$

*<proof>*

**lemma** *difference-disjointness*:

$$(\exists z. P z x \wedge \neg O z y) \Longrightarrow \neg O y (x \ominus y)$$

*<proof>*

**end**

## 6.3 The Universe

Another closure condition sometimes considered is the existence of the universe.<sup>26</sup>

**locale**  $CMU = CM +$

**assumes** *universe-eq*:  $u = (\text{THE } z. \forall w. P w z)$

**assumes** *universe-closure*:  $\exists y. \forall x. P x y$

**begin**

**lemma** *universe-intro*:  $(\forall w. P w z) \Longrightarrow u = z$

*<proof>*

**lemma** *universe-character*:  $P x u$

*<proof>*

**lemma**  $\neg PP u x$

*<proof>*

<sup>25</sup>See, for example, [Varzi, 1996] p. 263 and [Masolo and Vieu, 1999] p. 238.

<sup>26</sup>See, for example, [Varzi, 1996] p. 264 and [Casati and Varzi, 1999] p. 45.

**lemma** *product-universe-implies-factor-universe*:

$O x y \implies x \otimes y = u \implies x = u$   
 $\langle \text{proof} \rangle$

**end**

## 6.4 Complements

As is a condition ensuring the existence of complements.<sup>27</sup>

**locale** *CMC* = *CM* +

**assumes** *complement-eq*:  $-x = (\text{THE } z. \forall w. P w z \longleftrightarrow \neg O w x)$

**assumes** *complement-closure*:

$(\exists w. \neg O w x) \implies (\exists z. \forall w. P w z \longleftrightarrow \neg O w x)$

**assumes** *difference-eq*:

$x \ominus y = (\text{THE } z. \forall w. P w z \longleftrightarrow P w x \wedge \neg O w y)$

**begin**

**lemma** *complement-intro*:

$(\forall w. P w z \longleftrightarrow \neg O w x) \implies -x = z$   
 $\langle \text{proof} \rangle$

**lemma** *complement-character*:

$(\exists w. \neg O w x) \implies (\forall w. P w (-x) \longleftrightarrow \neg O w x)$   
 $\langle \text{proof} \rangle$

**lemma** *not-complement-part*:  $\exists w. \neg O w x \implies \neg P x (-x)$

$\langle \text{proof} \rangle$

**lemma** *complement-part*:  $\neg O x y \implies P x (-y)$

$\langle \text{proof} \rangle$

**lemma** *complement-overlap*:  $\neg O x y \implies O x (-y)$

$\langle \text{proof} \rangle$

**lemma** *or-complement-overlap*:  $\forall y. O y x \vee O y (-x)$

$\langle \text{proof} \rangle$

**lemma** *complement-disjointness*:  $\exists v. \neg O v x \implies \neg O x (-x)$

$\langle \text{proof} \rangle$

**lemma** *part-disjoint-from-complement*:

$\exists v. \neg O v x \implies P y x \implies \neg O y (-x)$   
 $\langle \text{proof} \rangle$

**lemma** *product-complement-character*:  $(\exists w. P w x \wedge \neg O w y) \implies$   
 $(\forall w. P w (x \otimes (-y)) \longleftrightarrow (P w x \wedge (\neg O w y)))$

---

<sup>27</sup>See, for example, [Varzi, 1996] p. 264 and [Casati and Varzi, 1999] p. 45.

*<proof>*

**theorem** *difference-closure*:  $(\exists w. P w x \wedge \neg O w y) \implies$   
 $(\exists z. \forall w. P w z \longleftrightarrow P w x \wedge \neg O w y)$

*<proof>*

**end**

**sublocale**  $CMC \subseteq CMD$

*<proof>*

**corollary** (in  $CMC$ ) *difference-is-product-of-complement*:

$(\exists w. P w x \wedge \neg O w y) \implies (x \ominus y) = x \otimes (-y)$

*<proof>*

Universe and difference closure entail complement closure, since the difference of an individual and the universe is the individual's complement.

**locale**  $CMUD = CMU + CMD +$

**assumes** *complement-eq*:  $-x = (THE z. \forall w. P w z \longleftrightarrow \neg O w x)$

**begin**

**lemma** *universe-difference*:

$(\exists w. \neg O w x) \implies (\forall w. P w (u \ominus x) \longleftrightarrow \neg O w x)$

*<proof>*

**theorem** *complement-closure*:

$(\exists w. \neg O w x) \implies (\exists z. \forall w. P w z \longleftrightarrow \neg O w x)$

*<proof>*

**end**

**sublocale**  $CMUD \subseteq CMC$

*<proof>*

**corollary** (in  $CMUD$ ) *complement-universe-difference*:

$(\exists y. \neg O y x) \implies -x = (u \ominus x)$

*<proof>*

## 7 Closed Extensional Mereology

Closed extensional mereology combines closed mereology with extensional mereology.<sup>28</sup>

**locale**  $CEM = CM + EM$

Likewise, closed minimal mereology combines closed mereology

---

<sup>28</sup>See [Varzi, 1996] p. 263 and [Casati and Varzi, 1999] p. 43.

with minimal mereology.<sup>29</sup>

**locale**  $CMM = CM + MM$

But famously closed minimal mereology and closed extensional mereology are the same theory, because in closed minimal mereology product closure and weak supplementation entail strong supplementation.<sup>30</sup>

**sublocale**  $CMM \subseteq CEM$

*<proof>*

**sublocale**  $CEM \subseteq CMM$ *<proof>*

## 7.1 Sums

**context**  $CEM$

**begin**

**lemma** *sum-intro*:

$(\forall w. O w z \longleftrightarrow (O w x \vee O w y)) \implies x \oplus y = z$   
*<proof>*

**lemma** *sum-idempotence*:  $x \oplus x = x$

*<proof>*

**lemma** *part-sum-identity*:  $P y x \implies x \oplus y = x$

*<proof>*

**lemma** *sum-character*:  $\forall w. O w (x \oplus y) \longleftrightarrow (O w x \vee O w y)$

*<proof>*

**lemma** *sum-overlap*:  $O w (x \oplus y) \longleftrightarrow (O w x \vee O w y)$

*<proof>*

**lemma** *sum-part-character*:

$P w (x \oplus y) \longleftrightarrow (\forall v. O v w \longrightarrow O v x \vee O v y)$   
*<proof>*

**lemma** *sum-commutativity*:  $x \oplus y = y \oplus x$

*<proof>*

**lemma** *first-summand-overlap*:  $O z x \implies O z (x \oplus y)$

*<proof>*

**lemma** *first-summand-disjointness*:  $\neg O z (x \oplus y) \implies \neg O z x$

*<proof>*

---

<sup>29</sup>See [Casati and Varzi, 1999] p. 43.

<sup>30</sup>See [Simons, 1987] p. 31 and [Casati and Varzi, 1999] p. 44.

**lemma** *first-summand-in-sum*:  $P x (x \oplus y)$   
*<proof>*

**lemma** *common-first-summand*:  $P x (x \oplus y) \wedge P x (x \oplus z)$   
*<proof>*

**lemma** *common-first-summand-overlap*:  $O (x \oplus y) (x \oplus z)$   
*<proof>*

**lemma** *second-summand-overlap*:  $O z y \implies O z (x \oplus y)$   
*<proof>*

**lemma** *second-summand-disjointness*:  $\neg O z (x \oplus y) \implies \neg O z y$   
*<proof>*

**lemma** *second-summand-in-sum*:  $P y (x \oplus y)$   
*<proof>*

**lemma** *second-summands-in-sums*:  $P y (x \oplus y) \wedge P v (z \oplus v)$   
*<proof>*

**lemma** *disjoint-from-sum*:  $\neg O z (x \oplus y) \longleftrightarrow \neg O z x \wedge \neg O z y$   
*<proof>*

**lemma** *summands-part-implies-sum-part*:  
 $P x z \wedge P y z \implies P (x \oplus y) z$   
*<proof>*

**lemma** *sum-part-implies-summands-part*:  
 $P (x \oplus y) z \implies P x z \wedge P y z$   
*<proof>*

**lemma** *in-second-summand*:  $P z (x \oplus y) \wedge \neg O z x \implies P z y$   
*<proof>*

**lemma** *disjoint-second-summands*:  
 $P v (x \oplus y) \wedge P v (x \oplus z) \implies \neg O y z \implies P v x$   
*<proof>*

**lemma** *right-associated-sum*:  
 $O w (x \oplus (y \oplus z)) \longleftrightarrow O w x \vee (O w y \vee O w z)$   
*<proof>*

**lemma** *left-associated-sum*:  
 $O w ((x \oplus y) \oplus z) \longleftrightarrow (O w x \vee O w y) \vee O w z$   
*<proof>*

**theorem** *sum-associativity*:  $x \oplus (y \oplus z) = (x \oplus y) \oplus z$   
*<proof>*

## 7.2 Distributivity

The proofs in this section are adapted from [Pietruszczak, 2018] pp. 102-4.

**lemma** *common-summand-in-product*:  $P x ((x \oplus y) \otimes (x \oplus z))$   
 $\langle proof \rangle$

**lemma** *product-in-first-summand*:  
 $\neg O y z \implies P ((x \oplus y) \otimes (x \oplus z)) x$   
 $\langle proof \rangle$

**lemma** *product-is-first-summand*:  
 $\neg O y z \implies (x \oplus y) \otimes (x \oplus z) = x$   
 $\langle proof \rangle$

**lemma** *sum-over-product-left*:  $O y z \implies P (x \oplus (y \otimes z)) ((x \oplus y) \otimes (x \oplus z))$   
 $\langle proof \rangle$

**lemma** *sum-over-product-right*:  
 $O y z \implies P ((x \oplus y) \otimes (x \oplus z)) (x \oplus (y \otimes z))$   
 $\langle proof \rangle$

Sums distribute over products.

**theorem** *sum-over-product*:  
 $O y z \implies x \oplus (y \otimes z) = (x \oplus y) \otimes (x \oplus z)$   
 $\langle proof \rangle$

**lemma** *product-in-factor-by-sum*:  
 $O x y \implies P (x \otimes y) (x \otimes (y \oplus z))$   
 $\langle proof \rangle$

**lemma** *product-of-first-summand*:  
 $O x y \implies \neg O x z \implies P (x \otimes (y \oplus z)) (x \otimes y)$   
 $\langle proof \rangle$

**theorem** *disjoint-product-over-sum*:  
 $O x y \implies \neg O x z \implies x \otimes (y \oplus z) = x \otimes y$   
 $\langle proof \rangle$

**lemma** *product-over-sum-left*:  
 $O x y \wedge O x z \implies P (x \otimes (y \oplus z)) ((x \otimes y) \oplus (x \otimes z))$   
 $\langle proof \rangle$

**lemma** *product-over-sum-right*:  
 $O x y \wedge O x z \implies P ((x \otimes y) \oplus (x \otimes z)) (x \otimes (y \oplus z))$   
 $\langle proof \rangle$

**theorem** *product-over-sum*:

$O x y \wedge O x z \implies x \otimes (y \oplus z) = (x \otimes y) \oplus (x \otimes z)$   
 ⟨proof⟩

**lemma** *joint-identical-sums*:

$v \oplus w = x \oplus y \implies O x v \wedge O x w \implies ((x \otimes v) \oplus (x \otimes w)) = x$   
 ⟨proof⟩

**lemma** *disjoint-identical-sums*:

$v \oplus w = x \oplus y \implies \neg O y v \wedge \neg O w x \implies x = v \wedge y = w$   
 ⟨proof⟩

end

### 7.3 Differences

locale  $CEMD = CEM + CMD$

begin

**lemma** *plus-minus*:  $PP y x \implies y \oplus (x \ominus y) = x$   
 ⟨proof⟩

end

### 7.4 The Universe

locale  $CEMU = CEM + CMU$

begin

**lemma** *something-disjoint*:  $x \neq u \implies (\exists v. \neg O v x)$   
 ⟨proof⟩

**lemma** *overlaps-universe*:  $O x u$   
 ⟨proof⟩

**lemma** *universe-absorbing*:  $x \oplus u = u$   
 ⟨proof⟩

**lemma** *second-summand-not-universe*:  $x \oplus y \neq u \implies y \neq u$   
 ⟨proof⟩

**lemma** *first-summand-not-universe*:  $x \oplus y \neq u \implies x \neq u$   
 ⟨proof⟩

end

### 7.5 Complements

locale  $CEMC = CEM + CMC +$

**assumes** *universe-eq*:  $u = (THE x. \forall y. P y x)$

begin

**lemma** *complement-sum-character*:  $\forall y. P y (x \oplus (-x))$   
*<proof>*

**lemma** *universe-closure*:  $\exists x. \forall y. P y x$   
*<proof>*

**end**

**sublocale**  $CEMC \subseteq CEMU$   
*<proof>*

**sublocale**  $CEMC \subseteq CEMD$   
*<proof>*

**context**  $CEMC$   
**begin**

**corollary** *universe-is-complement-sum*:  $u = x \oplus (-x)$   
*<proof>*

**lemma** *strong-complement-character*:  
 $x \neq u \implies (\forall v. P v (-x) \longleftrightarrow \neg O v x)$   
*<proof>*

**lemma** *complement-part-not-part*:  $x \neq u \implies P y (-x) \implies \neg P y x$   
*<proof>*

**lemma** *complement-involution*:  $x \neq u \implies x = -(-x)$   
*<proof>*

**lemma** *part-complement-reversal*:  $y \neq u \implies P x y \implies P (-y) (-x)$   
*<proof>*

**lemma** *complements-overlap*:  $x \oplus y \neq u \implies O(-x)(-y)$   
*<proof>*

**lemma** *sum-complement-in-complement-product*:  
 $x \oplus y \neq u \implies P(-(x \oplus y))(-x \otimes -y)$   
*<proof>*

**lemma** *complement-product-in-sum-complement*:  
 $x \oplus y \neq u \implies P(-x \otimes -y)(-(x \oplus y))$   
*<proof>*

**theorem** *sum-complement-is-complements-product*:  
 $x \oplus y \neq u \implies -(x \oplus y) = (-x \otimes -y)$   
*<proof>*

**lemma** *complement-sum-in-product-complement:*

$O x y \implies x \neq u \implies y \neq u \implies P((-x) \oplus (-y))(-(x \otimes y))$   
(proof)

**lemma** *product-complement-in-complements-sum:*

$x \neq u \implies y \neq u \implies P(-(x \otimes y))((-x) \oplus (-y))$   
(proof)

**theorem** *complement-of-product-is-sum-of-complements:*

$O x y \implies x \oplus y \neq u \implies -(x \otimes y) = (-x) \oplus (-y)$   
(proof)

end

## 8 General Mereology

The theory of *general mereology* adds the axiom of fusion to ground mereology.<sup>31</sup>

**locale**  $GM = M +$

**assumes** *fusion:*

$\exists x. \varphi x \implies \exists z. \forall y. O y z \longleftrightarrow (\exists x. \varphi x \wedge O y x)$

**begin**

Fusion entails sum closure.

**theorem** *sum-closure:*  $\exists z. \forall w. O w z \longleftrightarrow (O w a \vee O w b)$

(proof)

end

## 9 General Minimal Mereology

The theory of *general minimal mereology* adds general mereology to minimal mereology.<sup>32</sup>

**locale**  $GMM = GM + MM$

**begin**

It is natural to assume that just as closed minimal mereology and closed extensional mereology are the same theory, so are general minimal mereology and general extensional mereology.<sup>33</sup> But

---

<sup>31</sup>See [Simons, 1987] p. 36, [Varzi, 1996] p. 265 and [Casati and Varzi, 1999] p. 46.

<sup>32</sup>See [Casati and Varzi, 1999] p. 46.

<sup>33</sup>For this mistake see [Simons, 1987] p. 37 and [Casati and Varzi, 1999] p. 46. The mistake is corrected in [Pontow, 2004] and [Hovda, 2009]. For discussion of the significance of this issue see, for example, [Varzi, 2009] and [Cotnoir, 2016].

this is not the case, since the proof of strong supplementation in closed minimal mereology required the product closure axiom. However, in general minimal mereology, the fusion axiom does not entail the product closure axiom. So neither product closure nor strong supplementation are theorems.

**lemma** *product-closure*:

$O x y \implies (\exists z. \forall v. P v z \longleftrightarrow P v x \wedge P v y)$   
**nitpick** [*expect = genuine*] *<proof>*

**lemma** *strong-supplementation*:  $\neg P x y \implies (\exists z. P z x \wedge \neg O z y)$

**nitpick** [*expect = genuine*] *<proof>*

**end**

## 10 General Extensional Mereology

The theory of *general extensional mereology*, also known as *classical extensional mereology* adds general mereology to extensional mereology.<sup>34</sup>

**locale** *GEM* = *GM* + *EM* +

**assumes** *sum-eq*:  $x \oplus y = (\text{THE } z. \forall v. O v z \longleftrightarrow O v x \vee O v y)$

**assumes** *product-eq*:

$x \otimes y = (\text{THE } z. \forall v. P v z \longleftrightarrow P v x \wedge P v y)$

**assumes** *difference-eq*:

$x \ominus y = (\text{THE } z. \forall w. P w z = (P w x \wedge \neg O w y))$

**assumes** *complement-eq*:  $\neg x = (\text{THE } z. \forall w. P w z \longleftrightarrow \neg O w x)$

**assumes** *universe-eq*:  $u = (\text{THE } x. \forall y. P y x)$

**assumes** *fusion-eq*:  $\exists x. F x \implies$

$(\sigma x. F x) = (\text{THE } x. \forall y. O y x \longleftrightarrow (\exists z. F z \wedge O y z))$

**assumes** *general-product-eq*:  $(\pi x. F x) = (\sigma x. \forall y. F y \longrightarrow P x y)$

**sublocale** *GEM*  $\subseteq$  *GMM*

*<proof>*

### 10.1 General Sums

**context** *GEM*

**begin**

**lemma** *fusion-intro*:

$(\forall y. O y z \longleftrightarrow (\exists x. F x \wedge O y x)) \implies (\sigma x. F x) = z$

*<proof>*

**lemma** *fusion-idempotence*:  $(\sigma x. z = x) = z$

<sup>34</sup>For this axiomatization see [Varzi, 1996] p. 265 and [Casati and Varzi, 1999] p. 46.

$\langle proof \rangle$

The whole is the sum of its parts.

**lemma** *fusion-absorption*:  $(\sigma x. P x z) = z$   
 $\langle proof \rangle$

**lemma** *part-fusion*:  $P w (\sigma v. P v x) \implies P w x$   
 $\langle proof \rangle$

**lemma** *fusion-character*:  
 $\exists x. F x \implies (\forall y. O y (\sigma v. F v) \longleftrightarrow (\exists x. F x \wedge O y x))$   
 $\langle proof \rangle$

The next lemma characterises fusions in terms of parthood.<sup>35</sup>

**lemma** *fusion-part-character*:  $\exists x. F x \implies$   
 $(\forall y. P y (\sigma v. F v) \longleftrightarrow (\forall w. P w y \longrightarrow (\exists v. F v \wedge O w v)))$   
 $\langle proof \rangle$

**lemma** *fusion-part*:  $F x \implies P x (\sigma x. F x)$   
 $\langle proof \rangle$

**lemma** *common-part-fusion*:  
 $O x y \implies (\forall w. P w (\sigma v. (P v x \wedge P v y)) \longleftrightarrow (P w x \wedge P w y))$   
 $\langle proof \rangle$

**theorem** *product-closure*:  
 $O x y \implies (\exists z. \forall w. P w z \longleftrightarrow (P w x \wedge P w y))$   
 $\langle proof \rangle$

**end**

**sublocale**  $GEM \subseteq CEM$   
 $\langle proof \rangle$

**context**  $GEM$   
**begin**

**corollary**  $O x y \implies x \otimes y = (\sigma v. P v x \wedge P v y)$   
 $\langle proof \rangle$

**lemma** *disjoint-fusion*:  
 $\exists w. \neg O w x \implies (\forall w. P w (\sigma z. \neg O z x) \longleftrightarrow \neg O w x)$   
 $\langle proof \rangle$

**theorem** *complement-closure*:  
 $\exists w. \neg O w x \implies (\exists z. \forall w. P w z \longleftrightarrow \neg O w x)$   
 $\langle proof \rangle$

---

<sup>35</sup>See [Pontow, 2004] pp. 202-9.

**end**

**sublocale**  $GEM \subseteq CEMC$

$\langle$ *proof* $\rangle$

**context**  $GEM$

**begin**

**corollary** *complement-is-disjoint-fusion*:

$$\exists w. \neg O w x \implies \neg x = (\sigma z. \neg O z x)$$

$\langle$ *proof* $\rangle$

**theorem** *strong-fusion*:  $\exists x. F x \implies$

$$\exists x. (\forall y. F y \longrightarrow P y x) \wedge (\forall y. P y x \longrightarrow (\exists z. F z \wedge O y z))$$

$\langle$ *proof* $\rangle$

**theorem** *strong-fusion-eq*:  $\exists x. F x \implies (\sigma x. F x) =$

$$(THE x. (\forall y. F y \longrightarrow P y x) \wedge (\forall y. P y x \longrightarrow (\exists z. F z \wedge O y z)))$$

$\langle$ *proof* $\rangle$

**lemma** *strong-sum-eq*:  $x \oplus y = (THE z. (P x z \wedge P y z) \wedge (\forall w. P w z \longrightarrow O w x \vee O w y))$

$\langle$ *proof* $\rangle$

## 10.2 General Products

**lemma** *general-product-intro*:  $(\forall y. O y x \longleftrightarrow (\exists z. (\forall y. F y \longrightarrow P z y) \wedge O y z)) \implies (\pi x. F x) = x$

$\langle$ *proof* $\rangle$

**lemma** *general-product-idempotence*:  $(\pi z. z = x) = x$

$\langle$ *proof* $\rangle$

**lemma** *general-product-absorption*:  $(\pi z. P x z) = x$

$\langle$ *proof* $\rangle$

**lemma** *general-product-character*:  $\exists z. \forall y. F y \longrightarrow P z y \implies$

$$\forall y. O y (\pi x. F x) \longleftrightarrow (\exists z. (\forall y. F y \longrightarrow P z y) \wedge O y z)$$

$\langle$ *proof* $\rangle$

**corollary**  $\neg (\exists x. F x) \implies u = (\pi x. F x)$

$\langle$ *proof* $\rangle$

**end**

### 10.3 Strong Fusion

An alternative axiomatization of general extensional mereology adds a stronger version of the fusion axiom to minimal mereology, with correspondingly stronger definitions of sums and general sums.<sup>36</sup>

**locale** *GEM1* = *MM* +

**assumes** *strong-fusion*:  $\exists x. F x \implies \exists x. (\forall y. F y \longrightarrow P y x) \wedge (\forall y. P y x \longrightarrow (\exists z. F z \wedge O y z))$

**assumes** *strong-sum-eq*:  $x \oplus y = (THE z. (P x z \wedge P y z) \wedge (\forall w. P w z \longrightarrow O w x \vee O w y))$

**assumes** *product-eq*:

$x \otimes y = (THE z. \forall v. P v z \longleftrightarrow P v x \wedge P v y)$

**assumes** *difference-eq*:

$x \ominus y = (THE z. \forall w. P w z = (P w x \wedge \neg O w y))$

**assumes** *complement-eq*:  $\neg x = (THE z. \forall w. P w z \longleftrightarrow \neg O w x)$

**assumes** *universe-eq*:  $u = (THE x. \forall y. P y x)$

**assumes** *strong-fusion-eq*:  $\exists x. F x \implies (\sigma x. F x) = (THE x. (\forall y. F y \longrightarrow P y x) \wedge (\forall y. P y x \longrightarrow (\exists z. F z \wedge O y z)))$

**assumes** *general-product-eq*:  $(\pi x. F x) = (\sigma x. \forall y. F y \longrightarrow P x y)$

**begin**

**theorem** *fusion*:

$\exists x. \varphi x \implies (\exists z. \forall y. O y z \longleftrightarrow (\exists x. \varphi x \wedge O y x))$

*<proof>*

**lemma** *pair*:  $\exists v. (\forall w. (w = x \vee w = y) \longrightarrow P w v) \wedge (\forall w. P w v \longrightarrow (\exists z. (z = x \vee z = y) \wedge O w z))$

*<proof>*

**lemma** *or-id*:  $(v = x \vee v = y) \wedge O w v \implies O w x \vee O w y$

*<proof>*

**lemma** *strong-sum-closure*:

$\exists z. (P x z \wedge P y z) \wedge (\forall w. P w z \longrightarrow O w x \vee O w y)$

*<proof>*

**end**

**sublocale** *GEM1*  $\subseteq$  *GMM*

*<proof>*

**context** *GEM1*

**begin**

**lemma** *least-upper-bound*:

**assumes** *sf*:

---

<sup>36</sup>See [Tarski, 1983] p. 25. The proofs in this section are adapted from [Hovda, 2009].

$((\forall y. F y \longrightarrow P y x) \wedge (\forall y. P y x \longrightarrow (\exists z. F z \wedge O y z)))$   
**shows lub:**  
 $(\forall y. F y \longrightarrow P y x) \wedge (\forall z. (\forall y. F y \longrightarrow P y z) \longrightarrow P x z)$   
 <proof>

**corollary strong-fusion-intro:**  $(\forall y. F y \longrightarrow P y x) \wedge (\forall y. P y x \longrightarrow (\exists z. F z \wedge O y z)) \Longrightarrow (\sigma x. F x) = x$   
 <proof>

**lemma strong-fusion-character:**  $\exists x. F x \Longrightarrow ((\forall y. F y \longrightarrow P y (\sigma x. F x)) \wedge (\forall y. P y (\sigma x. F x) \longrightarrow (\exists z. F z \wedge O y z)))$   
 <proof>

**lemma F-in:**  $\exists x. F x \Longrightarrow (\forall y. F y \longrightarrow P y (\sigma x. F x))$   
 <proof>

**lemma parts-overlap-Fs:**  
 $\exists x. F x \Longrightarrow (\forall y. P y (\sigma x. F x) \longrightarrow (\exists z. F z \wedge O y z))$   
 <proof>

**lemma in-strong-fusion:**  $P z (\sigma x. z = x)$   
 <proof>

**lemma strong-fusion-in:**  $P (\sigma x. z = x) z$   
 <proof>

**lemma strong-fusion-idempotence:**  $(\sigma x. z = x) = z$   
 <proof>

## 10.4 Strong Sums

**lemma pair-fusion:**  $(P x z \wedge P y z) \wedge (\forall w. P w z \longrightarrow O w x \vee O w y) \longrightarrow (\sigma z. z = x \vee z = y) = z$   
 <proof>

**corollary strong-sum-fusion:**  $x \oplus y = (\sigma z. z = x \vee z = y)$   
 <proof>

**corollary strong-sum-intro:**  
 $(P x z \wedge P y z) \wedge (\forall w. P w z \longrightarrow O w x \vee O w y) \longrightarrow x \oplus y = z$   
 <proof>

**corollary strong-sum-character:**  $(P x (x \oplus y) \wedge P y (x \oplus y)) \wedge (\forall w. P w (x \oplus y) \longrightarrow O w x \vee O w y)$   
 <proof>

**corollary summands-in:**  $(P x (x \oplus y) \wedge P y (x \oplus y))$   
 <proof>

**corollary** *first-summand-in*:  $P x (x \oplus y) \langle \text{proof} \rangle$

**corollary** *second-summand-in*:  $P y (x \oplus y) \langle \text{proof} \rangle$

**corollary** *sum-part-overlap*:  $(\forall w. P w (x \oplus y) \longrightarrow O w x \vee O w y) \langle \text{proof} \rangle$

**lemma** *strong-sum-absorption*:  $y = (x \oplus y) \implies P x y \langle \text{proof} \rangle$

**theorem** *strong-supplementation*:  $\neg P x y \implies (\exists z. P z x \wedge \neg O z y) \langle \text{proof} \rangle$

**lemma** *sum-character*:  $\forall v. O v (x \oplus y) \longleftrightarrow (O v x \vee O v y) \langle \text{proof} \rangle$

**lemma** *sum-eq*:  $x \oplus y = (\text{THE } z. \forall v. O v z = (O v x \vee O v y)) \langle \text{proof} \rangle$

**theorem** *fusion-eq*:  $\exists x. F x \implies (\sigma x. F x) = (\text{THE } x. \forall y. O y x \longleftrightarrow (\exists z. F z \wedge O y z)) \langle \text{proof} \rangle$

**end**

**sublocale**  $GEM1 \subseteq GEM \langle \text{proof} \rangle$

**sublocale**  $GEM \subseteq GEM1 \langle \text{proof} \rangle$

## References

- [Bittner, 2018] Bittner, T. (2018). Formal ontology of space, time, and physical entities in classical mechanics. *Applied Ontology*, 13(2):135–179.
- [Casati and Varzi, 1999] Casati, R. and Varzi, A. C. (1999). *Parts and Places. The Structures of Spatial Representation*. MIT Press, Cambridge, Mass.
- [Cotnoir, 2010] Cotnoir, A. J. (2010). Anti-Symmetry and Non-Extensional Mereology. *The Philosophical Quarterly*, 60(239):396–405.
- [Cotnoir, 2016] Cotnoir, A. J. (2016). Does Universalism Entail Extensionalism? *Noûs*, 50(1):121–132.
- [Cotnoir, 2018] Cotnoir, A. J. (2018). Is Weak Supplementation analytic? *Synthese*.

- [Cotnoir and Bacon, 2012] Cotnoir, A. J. and Bacon, A. (2012). Non-Wellfounded Mereology. *The Review of Symbolic Logic*, 5(2):187–204.
- [Donnelly, 2011] Donnelly, M. (2011). Using Mereological Principles to Support Metaphysics. *The Philosophical Quarterly*, 61(243):225–246.
- [Hovda, 2009] Hovda, P. (2009). What is Classical Mereology? *Journal of Philosophical Logic*, 38(1):55–82.
- [Kearns, 2011] Kearns, S. (2011). Can a Thing be Part of Itself? *American Philosophical Quarterly*, 48(1):87–93.
- [Leonard and Goodman, 1940] Leonard, H. S. and Goodman, N. (1940). The Calculus of Individuals and Its Uses. *The Journal of Symbolic Logic*, 5(2):45–55.
- [Masolo and Vieu, 1999] Masolo, C. and Vieu, L. (1999). Atomicity vs. Infinite Divisibility of Space. In *Spatial Information Theory. Cognitive and Computational Foundations of Geographic Information Science*, Lecture Notes in Computer Science, pages 235–250, Berlin. Springer.
- [Obojska, 2013] Obojska, L. (2013). Some Remarks on Supplementation Principles in the Absence of Antisymmetry. *The Review of Symbolic Logic*, 6(2):343–347.
- [Parsons, 2014] Parsons, J. (2014). The Many Primitives of Mereology. In *Mereology and Location*. Oxford University Press, Oxford.
- [Pietruszczak, 2018] Pietruszczak, A. (2018). *Metamereology*. Nicolaus Copernicus University Scientific Publishing House, Turun.
- [Pontow, 2004] Pontow, C. (2004). A note on the axiomatics of theories in parthood. *Data & Knowledge Engineering*, 50(2):195–213.
- [Sen, 2017] Sen, A. (2017). *Computational Axiomatic Science*. PhD thesis, Rensselaer Polytechnic Institute.
- [Simons, 1987] Simons, P. (1987). *Parts: A Study in Ontology*. Oxford University Press, Oxford.
- [Smith, 2009] Smith, D. (2009). Mereology without Weak Supplementation. *Australasian Journal of Philosophy*, 87(3):505–511.
- [Tarski, 1983] Tarski, A. (1983). Foundations of the Geometry of Solids. In *Logic, Semantics, Metamathematics*, pages 24–29. Hackett Publishing, Indianapolis, second edition.
- [Varzi, 1996] Varzi, A. C. (1996). Parts, wholes, and part-whole relations: The prospects of mereotopology. *Data & Knowledge Engineering*, 20(3):259–286.
- [Varzi, 2006] Varzi, A. C. (2006). A Note on the Transitivity of Parthood. *Applied Ontology*, 1(2):141–146.
- [Varzi, 2008] Varzi, A. C. (2008). The Extensionality of Parthood and Composition. *The Philosophical Quarterly*, 58(230):108–133.
- [Varzi, 2009] Varzi, A. C. (2009). Universalism entails Extensionalism. *Analysis*, 69(4):599–604.

[Varzi, 2016] Varzi, A. C. (2016). Mereology. In Zalta, E. N., editor, *The Stanford Encyclopedia of Philosophy*. Metaphysics Research Lab, Stanford University, winter 2016 edition.